

A bibliography on learning causal networks of gene interactions

Florian Markowetz*

October 24, 2005

This is a collection of references on learning regulatory and signaling networks. It contains articles from **biology** and **bioinformatics**, as well as theoretical background in **mathematics** and **computer science**. I annotated each article with an URL where it can be found and downloaded.

Of course this collection is far from complete. If you find any errors or typos, or if you know any article I have missed and which should be included here, please mail the bibtex entry to florian.markowetz@molgen.mpg.de. I update this bibliography regularly, so watch out for the latest version.

References

- ABURATANI, S., GOTO, K., SAITO, S., FUMOTO, M., IMAIZUMI, A., SUGAYA, N., MURAKAMI, H., SATO, M., TOH, H., and HORIMOTO, K., 2004: ASIAN: a website for network inference. *Bioinformatics* 20(16), 2853–6. URL <http://dx.doi.org/10.1093/bioinformatics/bth296>.
- ABURATANI, S., TASHIRO, K., SAVOIE, C. J., NISHIZAWA, M., HAYASHI, K., ITO, Y., MUTA, S., YAMAMOTO, K., OGAWA, M., ENOMOTO, A., MASAKI, M., WATANABE, S., MAKI, Y., TAKAHASHI, Y., EGUCHI, Y., SAKAKI, Y., and KUHARA, S., 2003: Discovery of novel transcription control relationships with gene regulatory networks generated from multiple-disruption full genome expression libraries. *DNA Res* 10(1), 1–8.
- ACID, S. and DE CAMPOS, L., 2003: Searching for Bayesian Network Structures in the Space of Restricted Acyclic Partially Directed Graphs. *Journal of Artificial Intelligence Research* 18, 445–490. URL <http://www.jair.org/abstracts/acid03a.html>.
- AHO, A. V., GAREY, M., and ULLMAN, J. D., 1972: The transitive reduction of a directed graph. *SIAM J. Comput.* 1(2), 131 – 137. URL http://locus.siam.org/SICOMP/volume-01/art_0201008.html.
- AKUTSU, T., 1999: Identification of genetic networks from a small number of gene expression patterns under the Boolean network model. In: *Proc. Pacific Symposium on Biocomputing*. URL <http://citeseer.ist.psu.com/akutsu99identification.html>.
- AKUTSU, T., KUHARA, S., MARUYAMA, O., and MIYANO, S., 1998a: Identification of Gene Regulatory Networks by Strategic Gene Disruptions and Gene Overexpressions. In: *Proc. 9th Annual ACM-SIAM Symposium on Discrete Algorithms*. URL <http://citeseer.ist.psu.com/akutsu98identification.html>.

*Max-Planck-Institute for Molecular Genetics, Dept. Computational Molecular Biology, Computational Diagnostics Group, Ihnestr. 63-73, D-14195 Berlin, Germany. eMail: florian.markowetz@molgen.mpg.de. URL of this document: <http://www.molgen.mpg.de/~markowet/docs/network-bib.pdf>

- AKUTSU, T., KUHARA, S., MARUYAMA, O., and MIYANO, S., 1998b: A System for Identifying Genetic Networks from Gene Expression Patterns Produced by Gene Disruptions and Overexpressions. In: S. MIYANO and T. TAKAGI (eds.), *Genome Informatics 9*. Universal Academy Press, Tokyo. URL <http://www.jsbi.org/journal/GIW98/GIW98F16.pdf>.
- ALBERT, R. and BARABÁSI, A.-L., 2002: Statistical mechanics of complex networks. *Reviews of Modern Physics* 74(47). URL <http://www.nd.edu/~networks/PDF/rmp.pdf>.
- ALIFERIS, C. F., TSAMARDINOS, I., STATNIKOV, A. R., and BROWN, L. E., 2004: Causal Explorer: A Probabilistic Network Learning Toolkit for Biomedical Discovery. URL http://discover1.mc.vanderbilt.edu/discover/public/Publications/Causal_Explorer.pdf.
- AVERY, L. and WASSERMAN, S., 1992: Ordering gene function: the interpretation of epistasis in regulatory hierarchies. *Trends Genet* 8(9), 312–6.
- BACH, F. R. and JORDAN, M. I., 2002: Learning Graphical Models with Mercer Kernels. In: *Advances in Neural Information Processing Systems 15*. MIT Press, Cambridge, MA. URL <http://www-2.cs.cmu.edu/Groups/NIPS/NIPS2002/NIPS2002preproceedings/papers/AA67.html>.
- BAR-JOSEPH, Z., GERBER, G. K., LEE, T. I., RINALDI, N. J., YOO, J. Y., ROBERT, F., GORDON, D. B., FRAENKEL, E., JAAKKOLA, T. S., YOUNG, R. A., and GIFFORD, D. K., 2003: Computational discovery of gene modules and regulatory networks. *Nature Biotechnology* 21(11), 1337–1342. URL <http://www.nature.com/cgi-taf/DynaPage.taf?file=/nbt/journal/v21/n11/full/nbt890.html&filetype=pdf>.
- BARAL, C., CHANCELLOR, K., TRAN, N., TRAN, N., JOY, A., and BERENS, M., 2004: A knowledge based approach for representing and reasoning about signaling networks. *Bioinformatics* 20(suppl.1), i15–22. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/20/suppl_1/i15.
- BASSO, K., MARGOLIN, A. A., STOLOVITZKY, G., KLEIN, U., DALLA-FAVERA, R., and CALIFANO, A., 2005: Reverse engineering of regulatory networks in human B cells. *Nat Genet* URL <http://dx.doi.org/10.1038/ng1532>.
- BAY, S., CHRISMAN, L., POHORILLE, A., and SHRAGER, J., 2004: Temporal Aggregation Bias and Inference of Causal Regulatory Networks. *Journal of Computational Biology* 11(5), 971 – 985. URL <http://dx.doi.org/10.1089/1066527042432297>.
- BAY, S. D., CHRISMAN, L., POHORILLE, A., and SHRAGER, J., 2003a: Temporal Aggregation Bias and Inference of Causal Regulatory Networks. In: *IJCAI-2003 Workshop on Learning Graphical Models for Computational Genomics*. URL <http://newatlantis.isle.org/~sbay/papers/tagg.pdf>.
- BAY, S. D., SHRAGER, J., POHORILLE, A., and LANGLEY, P., 2003b: Revising Regulatory Networks: From Expression Data to Linear Causal Models. *Journal of Biomedical Informatics* URL <http://newatlantis.isle.org/~sbay/papers/jbi-BSPL.pdf>.
- BEAL, M. J., FALCIANI, F., GHAHRAMANI, Z., RANGEL, C., and WILD, D. L., 2005: A Bayesian approach to reconstructing genetic regulatory networks with hidden factors. *Bioinformatics* 21(3), 349–356. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/21/3/349>.
- BEAL, M. J. and GHAHRAMANI, Z., 2003: The Variational Bayesian EM Algorithm for Incomplete Data: With Application to Scoring Graphical Model Structures. In: J. M. BERNARDO, M. J. BAYARRI, A. P. D. AND JAMES O. BERGER, D. HECKERMAN, A. F. M. SMITH, and M. WEST (eds.), *Bayesian Statistics 7, Proceedings of the Seventh Valencia International Meeting*. Oxford University Press. URL <http://www.gatsby.ucl.ac.uk/~zoubin/papers/valencia02.pdf>.

- BEER, M. A. and TAVAZOIE, S., 2004: Predicting gene expression from sequence. *Cell* 117(2), 185–98.
- BERNARD, A. and HARTEMINK, A. J., 2005: Informative structure priors: joint learning of dynamic regulatory networks from multiple types of data. *Pac Symp Biocomput* , 459–70 URL <http://helix-web.stanford.edu/psb05/bernard.pdf>.
- DI BERNARDO, D., S, G. T., and COLLINS, J. J., 2004: Robust identification of large genetic networks. *Pac Symp Biocomput* , 486–97 URL <http://helix-web.stanford.edu/psb04/dibernardo.pdf>.
- DI BERNARDO, D., THOMPSON, M. J., GARDNER, T. S., CHOBOT, S. E., EASTWOOD, E. L., WOJTOVICH, A. P., ELLIOTT, S. J., SCHAUS, S. E., and COLLINS, J. J., 2005: Chemogenic profiling on a genome-wide scale using reverse-engineered gene networks. *Nat Biotechnol* 23(3), 377–83. URL <http://dx.doi.org/10.1038/nbt1075>.
- BHAN, A., GALAS, D. J., and DEWEY, T. G., 2002: A duplication growth model of gene expression networks. *Bioinformatics* 18(11), 1486–1493. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/18/11/1486>.
- BICKEL, D. R., 2005: Probabilities of spurious connections in gene networks: application to expression time series. *Bioinformatics* 21(7), 1121–8. URL <http://dx.doi.org/10.1093/bioinformatics/bti140>.
- BISITS, A. M., SMITH, R., MESIANO, S., YEO, G., KWEK, K., MACINTYRE, D., CHAN, E. C., and BOURNE, P., 2005: Inflammatory Aetiology of Human Myometrial Activation Tested Using Directed Graphs. *PLoS Computational Biology* 1(2), e19. URL <http://dx.doi.org/10.1371/journal.pcbi.0010019>.
- BOCKHORST, J., CRAVEN, M., PAGE, D., SHAVLIK, J., and GLASNER, J., 2003: A Bayesian network approach to operon prediction. *Bioinformatics* 19(10), 1227–1235. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/19/10/1227>.
- BØTTCHER, S. G., 2001: Learning Bayesian Networks with Mixed Variables. In: *Proceedings of the Eight International Workshop in Artificial Intelligence and Statistics*. URL <http://www.math.auc.dk/~alma/PHD/bottcher150.ps>.
- BØTTCHER, S. G., 2004: *Learning Bayesian Networks with Mixed Variables*. Ph.D. thesis, Aalborg University, Denmark. URL <http://www.math.auc.dk/~alma/PHD/almathesis.pdf>.
- BØTTCHER, S. G. and DETHLEFSEN, C., 2003: deal: A Package for Learning Bayesian Networks. *Journal of Statistical Software* 8(20). URL <http://www.jstatsoft.org/v08/i20/deal.pdf>.
- BOULESTEIX, A.-L. and STRIMMER, K., 2005: Predicting transcription factor activities from combined analysis of microarray and ChIP data: a partial least squares approach. *Theoretical Biology and Medical Modelling* 2(23). URL <http://dx.doi.org/10.1186/1742-4682-2-23>.
- BOURQUE, G. and SANKOFF, D., 2004: Improving gene network inference by comparing expression time-series across species, developmental stages or tissues. *Journal of Bioinformatics and Computational Biology* 2(4), 765–783. URL <http://dx.doi.org/10.1142/S0219720004000892>.
- BOWERS, P. M., COKUS, S. J., EISENBERG, D., and YEATES, T. O., 2004: Use of Logic Relationships to Decipher Protein Network Organization. *Science* 306(5705), 2246–2249. URL <http://dx.doi.org/10.1126/science.1103330>.
- BRAZMA, A. and SCHLITT, T., 2003: Reverse engineering of gene regulatory networks: a finite state linear model. *Genome Biology* 4:P5. URL <http://genomebiology.com/2003/4/6/P5>.

- BROWN, C., RUST, A., CLARKE, P., PAN, Z., SCHILSTRA, M., BUYSSCHER, T., GRIFFIN, G., WOLD, B., CAMERON, R., DAVIDSON, E., and BOLOURI, H., 2002: New computational approaches for analysis of cis-regulatory networks. *Developmental Biology* (246), 86–102.
- BULASHEVSKA, S. and EILS, R., 2005: Inferring genetic regulatory logic from expression data. *Bioinformatics* URL <http://dx.doi.org/10.1093/bioinformatics/bti388>.
- BUNTINE, W., 1996: A guide to the literature on learning probabilistic networks from data. *IEEE Trans. On Knowledge And Data Engineering* 8, 195–210. URL citeseer.ist.psu.com/buntine96guide.html.
- BUNTINE, W. L., 1991: Theory Refinement of Bayesian Networks. In: *Uncertainty in Artificial Intelligence*. URL citeseer.ist.psu.edu/buntine91theory.html.
- BUNTINE, W. L., 1994: Operations for Learning with Graphical Models. *Journal of Artificial Intelligence Research* 2, 159–225. URL <http://www.cs.washington.edu/research/jair/abstracts/buntine94a.html>.
- BUSSEMAKER, H., LI, H., and SIGGIA, E., 2001: Regulatory element detection using correlation with expression. *Nat Genet* 27(2), 167–71. URL <http://dx.doi.org/10.1038/84792>.
- BUTTE, A. and KOHANE, I., 2000: Mutual information relevance networks: functional genomic clustering using pairwise entropy measurements. *Pac Symp Biocomput* , 418–29.
- CABUSORA, L., SUTTON, E., FULMER, A., and FORST, C. V., 2005: Differential network expression during drug and stress response. *Bioinformatics* URL <http://dx.doi.org/10.1093/bioinformatics/bti440>.
- CARPENTER, A. E. and SABATINI, D. M., 2004: Systematic genome-wide screens of gene function. *Nat Rev Genet* 5(1), 11–22. URL <http://dx.doi.org/10.1038/nrg1248>.
- CASTELO, R. and KOCKA, T., 2003: On Inclusion-Driven Learning of Bayesian Networks. *Journal of Machine Learning Research* 4, 527–574. URL <http://www.jmlr.org/papers/volume4/castelo03a/castelo03a.pdf>.
- CHEN, H. and SHARP, B. M., 2004: Content-rich biological network constructed by mining PubMed abstracts. *BMC Bioinformatics* 5(147). URL <http://dx.doi.org/10.1186/1471-2105-5-147>.
- CHEN, H.-C., LEE, H.-C., LIN, T.-Y., LI, W.-H., and CHEN, B.-S., 2004: Quantitative characterization of the transcriptional regulatory network in the yeast cell cycle. *Bioinformatics* 20(12), 1914–1927. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/12/1914>.
- CHEN, K.-C., WANG, T.-Y., TSENG, H.-H., HUANG, C.-Y. F., and KAO, C.-Y., 2005: A stochastic differential equation model for quantifying transcriptional regulatory network in *Saccharomyces cerevisiae*. *Bioinformatics* URL <http://dx.doi.org/10.1093/bioinformatics/bti415>.
- CHIB, S., 1995: Marginal Likelihood from the Gibbs Output. *Journal of the American Statistical Association* 90(432), 1313–1321. URL <http://links.jstor.org/sici?sici=0162-1459%28199512%2990%3A432%3C1313%3AMLFTG%3E2.0.CO%3B2-2>. Radford M. Neal posted comments on this article at <http://www.cs.toronto.edu/~radford/chib-letter.html>.
- CHICKERING, D., 1996: Learning Equivalence Classes of Bayesian Network Structures. In: *Proceedings of Twelfth Conference on Uncertainty in Artificial Intelligence, Portland, OR*. Morgan Kaufmann, 150–157. URL <http://research.microsoft.com/~dmax/publications/uai96-equiv.pdf>.

- CHICKERING, D., HECKERMAN, D., and MEEK, C., 1997: A Bayesian approach to learning Bayesian networks with local structure. In: *Proceedings of Thirteenth Conference on Uncertainty in Artificial Intelligence*. Morgan Kaufmann, Providence, RI. URL <http://research.microsoft.com/scripts/pubdb/pubsasp.asp?recordID=167>.
- CHICKERING, D. M., 2002a: Learning Equivalence Classes of Bayesian-Network Structures. *Journal of Machine Learning Research* 2, 445–498. URL <http://www.jmlr.org/papers/volume2/chickering02a/chickering02a.pdf>.
- CHICKERING, D. M., 2002b: Optimal Structure Identification With Greedy Search. *Journal of Machine Learning Research* 3, 507–554. URL <http://www.ai.mit.edu/projects/jmlr/papers/volume3/chickering02b/chickering02b.pdf>.
- CHICKERING, D. M. and HECKERMAN, D., 1997: Efficient Approximations for the Marginal Likelihood of Bayesian Networks with Hidden Variables. *Machine Learning* 29(2-3), 181–212. URL <http://dx.doi.org/10.1023/A:1007469629108>.
- CHICKERING, D. M., HECKERMAN, D., and MEEK, C., 2004: Large-Sample Learning of Bayesian Networks is NP-Hard. *Journal of Machine Learning Research* 5, 1287–1330. URL <http://www.jmlr.org/papers/v5/chickering04a.html>.
- CHRISMAN, L., LANGLEY, P., BAY, S. D., and POHORILLE, A., 2003: Incorporating biological knowledge into evaluation of causal regulatory hypotheses. In: *Proceedings of the Pacific Symposium on Biocomputing*. URL <http://newatlantis.isle.org/~sbay/papers/bio.psb03.ps>.
- CHU, T., GLYMOUR, C., SCHEINES, R., and SPIRITES, P., 2003: A statistical problem for inference to regulatory structure from associations of gene expression measurements with microarrays. *Bioinformatics* 19(9), 1147–1152. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/19/9/1147>.
- CHUA, G., ROBINSON, M. D., MORRIS, Q., and HUGHES, T. R., 2004: Transcriptional networks: reverse-engineering gene regulation on a global scale. *Curr Opin Microbiol* 7(6), 638–46. URL <http://dx.doi.org/10.1016/j.mib.2004.10.009>.
- COOPER, G. F., 2000: A Bayesian Method for Causal Modeling and Discovery Under Selection. In: C. BOUTILIER and M. GOLDSZMIDT (eds.), *Uncertainty in Artificial Intelligence; Proceedings of the Sixteenth Conference*. Morgan Kaufmann, San Mateo, California. URL citeseer.ist.psu.edu/cooper00bayesian.html.
- COOPER, G. F. and HERSKOVITS, E., 1992: A Bayesian Method for the Induction of Probabilistic Networks from Data. *Machine Learning* 9, 309–347. URL <http://dx.doi.org/10.1023/A:1022649401552>.
- COOPER, G. F. and YOO, C., 1999: Causal Discovery from a Mixture of Experimental and Observational Data. In: K. LASKEY and H. PRADE (eds.), *Proc. Fifteenth Conference on Uncertainty in Artificial Intelligence (UAI '99)*. Morgan Kaufman, San Francisco, Calif. URL <http://citeseer.ist.psu.com/cooper99causal.html>.
- COVERT, M. W., KNIGHT, E. M., REED, J. L., HERRGARD, M. J., and PALSSON, B. O., 2004: Integrating high-throughput and computational data elucidates bacterial networks. *Nature* 429(6987), 92–96. URL <http://dx.doi.org/10.1038/nature02456>.
- COWELL, R., DAWID, A., LAURITZEN, S., and SPIEGELHALTER, D., 1999: *Probabilistic Networks and Expert Systems*. Springer-Verlag, New York.
- CUI, Q., LIU, B., JIANG, T., and MA, S., 2005: Characterizing the dynamic connectivity between genes by variable parameter regression and Kalman filtering based on temporal gene expression

- data. *Bioinformatics* 21(8), 1538–41. URL <http://dx.doi.org/10.1093/bioinformatics/bti197>.
- DANKS, D., GLYMOUR, C., and SPIRITES, P., 2002: Confirmation versus Search in Gene Regulation: The Complexity of Gene Perturbation Experimentation as a Search Method. In: *Proc. IJCAI Bioinformatics Workshop*. URL <http://www.phil.cmu.edu/projects/genegroup/papers/danks2002b.pdf>.
- DASH, D. H. and DRUZDZEL, M. J., 1999: A Hybrid Anytime Algorithm for the Construction of Causal Models from Sparse Data. In: *Proceedings of the Fifteenth Annual Conference on Uncertainty in Artificial Intelligence (UAI-99)*. Morgan Kaufmann Publishers, Inc., San Francisco, CA. URL <http://www.pitt.edu/~druzdzel/abstracts/uai99.html>.
- DATTA, A., CHOUDHARY, A., BITTNER, M. L., and DOUGHERTY, E. R., 2003: External Control in Markovian Genetic Regulatory Networks. *Machine Learning* 52(1-2), 169–191. URL <http://dx.doi.org/10.1023/A:1023909812213>.
- DATTA, A., CHOUDHARY, A., BITTNER, M. L., and DOUGHERTY, E. R., 2004: External control in Markovian genetic regulatory networks: the imperfect information case. *Bioinformatics* 20(6), 924–930. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/6/924>.
- DAUB, C. O., STEUER, R., SELBIG, J., and KLOSKA, S., 2004: Estimating mutual information using B-spline functions—an improved similarity measure for analysing gene expression data. *BMC Bioinformatics* 5, 118. URL <http://dx.doi.org/10.1186/1471-2105-5-118>.
- DAVIDSON, E. H., RAST, J. P., OLIVERI, P., RANSICK, A., CALESTANI, C., YUH, C.-H., MINOKAWA, T., AMORE, G., HINMAN, V., ARENAS-MENA, C., OTIM, O., BROWN, C. T., LIVI, C. B., LEE, P. Y., REVILLA, R., RUST, A. G., JUN PAN, Z., SCHILSTRA, M. J., CLARKE, P. J. C., ARNONE, M. I., ROWEN, L., CAMERON, R. A., McCLAY, D. R., HOOD, L., and BOLOURI, H., 2002: A Genomic Regulatory Network for Development. *Science* 295(5560), 1669–1678. URL <http://www.sciencemag.org/cgi/content/abstract/295/5560/1669>.
- DE BIE, T., MONSIEURS, P., ENGELEN, K., MOOR, B. D., CRISTIANINI, N., and MARCHAL, K., 2005: Discovering transcriptional modules from motif, chip-chip and microarray data. *Pac Symp Biocomput*, 483–94 URL <http://helix-web.stanford.edu/psb05/debie.pdf>.
- DE JONG, H., 2002: Modeling and Simulation of Genetic Regulatory Systems: A Literature Review. *Journal of Computational Biology* 9(1), 67–103. URL <http://fiordiliji.ingentaselect.com/v1=18484187/c1=29/nw=1/rpsv/catchword/mal/10665277/v9n1/s5/p67>.
- DEJORI, M., SCHWAIGHOFER, A., TRESP, V., and STETTER, M., 2004: Mining Functional Modules in Genetic Networks with Decomposable Graphical Models. *OMICS: A Journal of Integrative Biology* 8(2), 176–188. URL <http://www.liebertonline.com/doi/abs/10.1089/1536231041388375>.
- DEJORI, M. and STETTER, M., 2003: Bayesian Inference of Genetic Networks from Gene-Expression-Data: Convergence and Reliability. In: *IC-AI*.
- DEJORI, M. and STETTER, M., 2004: Identifying interventional and pathogenic mechanisms by generative inverse modeling of gene expression profiles. *J Comput Biol* 11(6), 1135–48. URL <http://dx.doi.org/10.1089/cmb.2004.11.1135>.
- DEMETRIUS, L. and MANKE, T., 2005: Robustness and network evolution—an entropic principle. *Physica A: Statistical and Theoretical Physics* 346(3-4), 682–696. URL <http://www.sciencedirect.com/science/article/B6TVG-4D2X92D-1/2/a7976ba46537df0ac59de93565ab4a3a>.

- DENG, X., GENG, H., and ALI, H., 2005: EXAMINE: a computational approach to reconstructing gene regulatory networks. *Biosystems* 81(2), 125–36. URL <http://dx.doi.org/10.1016/j.biosystems.2005.02.007>.
- D’HAESELEER, P., LIANG, S., and SOMOGYI, R., 2000: Genetic network inference: from co-expression clustering to reverse engineering. *Bioinformatics* 16(8), 707–726. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/16/8/707>.
- DOBRA, A., HANS, C., JONES, B., NEVINS, J. R., YAO, G., and WEST, M., 2004: Sparse graphical models for exploring gene expression data. *Journal of Multivariate Analysis* 90(1), 196–212. URL <http://dx.doi.org/10.1016/j.jmva.2004.02.009>.
- DOBRIN, R., BEG, Q. K., BARABASI, A.-L., and OLTVAI, Z. N., 2004: Aggregation of topological motifs in the E. coli transcriptional regulatory network. *BMC Bioinformatics* 5(10). URL <http://www.biomedcentral.com/content/pdf/1471-2105-5-10.pdf>.
- DRIESSCHE, N. V., DEMSAR, J., BOOTH, E. O., HILL, P., JUVAN, P., ZUPAN, B., KUSPA, A., and SHAULSKY, G., 2005: Epistasis analysis with global transcriptional phenotypes. *Nat Genet* 37(5), 471–7. URL <http://dx.doi.org/10.1038/ng1545>.
- DROR, R., 2001: Noise Models in Gene Array Analysis. URL citeseer.ist.psu.com/dror01noise.html.
- DRTON, M. and PERLMAN, M. D., 2004a: Model Selection for Gaussian Concentration Graphs. *Biometrika* 91(3). URL <http://www.stat.washington.edu/drton/Papers/2004sin.pdf>.
- DRTON, M. and PERLMAN, M. D., 2004b: A SINful Approach to Gaussian Graphical Model Selection. *Submitted to special issue of Statistical Science* URL <http://www.stat.washington.edu/drton/Papers/2005statsci.pdf>.
- DRUZDZEL, M. J. and DÍEZ, F. J., 2003: Combining Knowledge from Different Sources in Causal Probabilistic Models. *Journal of Machine Learning Research* 4, 295–316. URL <http://www.jmlr.org/papers/volume4/druzdzel03a/druzdzel03a.pdf>.
- DURBIN, R., EDDY, S., KROGH, A., and MITCHISON, G., 1998: *Biological sequence analysis*. Cambridge University Press.
- EDWARDS, D., 2000: *Introduction to Graphical Modelling*. Springer.
- EISEN, M., SPELLMAN, P., BROWN, P., and BOTSTEIN, D., 1998: Cluster analysis and display of genome-wide expression patterns. *Proc Natl Acad Sci U S A* 95(25), 14863–8. URL <http://www.pnas.org/cgi/content/full/95/25/14863>.
- EL-HAY, T. and FRIEDMAN, N., 2001: Incorporating Expressive Graphical Models in Variational Approximations: Chain-graphs and Hidden Variables. In: *Proceedings of the 17th Annual Conference on Uncertainty in Artificial Intelligence (UAI-01)*. Morgan Kaufmann Publishers, San Francisco, CA. URL <http://www.cs.huji.ac.il/~nir/Papers/EHF1.pdf>.
- ELIDAN, G. and FRIEDMAN, N., 2005: Learning Hidden Variable Networks: The Information Bottleneck Approach. *Journal of Machine Learning Research* 6(Jan), 81–127. URL <http://jmlr.csail.mit.edu/papers/v6/elidan05a.html>.
- ELIDAN, G., LOTNER, N., FRIEDMAN, N., and KOLLER, D., 2000: Discovering Hidden Variables: A Structure-Based Approach. In: *NIPS*. URL <http://citeseer.ist.psu.com/elidan01discovering.html>.

- ELKON, R., RASHI-ELKELES, S., LERENTHAL, Y., LINHART, C., TENNE, T., AMARIGLIO, N., RECHAVI, G., SHAMIR, R., and SHILOH, Y., 2005: Dissection of a DNA-damage-induced transcriptional network using a combination of microarrays, RNA interference and computational promoter analysis. *Genome Biology* 6(R43).
- FEATHERSTONE, D. E. and BROADIE, K., 2002: Wrestling with pleiotropy: genomic and topological analysis of the yeast gene expression network. *Bioessays* 24(3), 267–274. URL <http://www3.interscience.wiley.com/cgi-bin/abstract/91013753/START>.
- FISHMAN, M. C. and PORTER, J. A., 2005: Pharmaceuticals: A new grammar for drug discovery. *Nature* 437(7058), 491–493. URL <http://dx.doi.org/10.1038/437491a>.
- FRASER, A. G. and MARCOTTE, E. M., 2004: A probabilistic view of gene function. *Nature Genetics* 36(36), 559 – 564. URL <http://dx.doi.org/10.1038/ng1370>.
- FRIEDMAN, N., 1997: Learning Belief Networks in the Presence of Missing Values and Hidden Variables. In: D. FISHER (ed.), *Proc. of the Fourteenth Inter. Conf. on Machine Learning (ICML97)*. Morgan Kaufmann, San Francisco, CA. URL <http://citeseer.ist.psu.edu/friedman97learning.html>.
- FRIEDMAN, N., 1998: The Bayesian Structural EM Algorithm. In: G. F. COOPER and S. MORAL (eds.), *Proc. of the Fourteenth Conf. on Uncertainty in Artificial Intelligence (UAI'98)*. Morgan Kaufmann, San Francisco, CA. URL <http://citeseer.ist.psu.edu/146394.html>.
- FRIEDMAN, N., 2004: Inferring Cellular Networks Using Probabilistic Graphical Models. *Science* 303(5659), 799–805. URL <http://www.sciencemag.org/cgi/content/abstract/303/5659/799>.
- FRIEDMAN, N., GEIGER, D., and GOLDSZMIDT, M., 1997: Bayesian Network Classifiers. *Machine Learning* 29(2-3), 131 – 163. URL <http://dx.doi.org/10.1023/A:1007465528199>.
- FRIEDMAN, N. and GOLDSZMIDT, M., 1996: Discretizing Continuous Attributes While Learning Bayesian Networks. In: *Proc. 13'th International Conference on Machine Learning (ICML)*. URL <http://www.cs.huji.ac.il/~nir/Papers/FrG2.pdf>.
- FRIEDMAN, N. and GOLDSZMIDT, M., 1998: Learning Bayesian Networks with Local Structure. In: M. I. JORDAN (ed.), *Learning in Graphical Models*. MIT Press, Cambridge, MA, 421–459. URL <http://www.cs.huji.ac.il/~nirf/Abstracts/FrG3Full.html>.
- FRIEDMAN, N., GOLDSZMIDT, M., and WYNER, A., 1999a: Data Analysis with Bayesian Networks: A Bootstrap Approach. In: *Uncertainty in Artificial Intelligence: Proceedings of the Fifteenth Conference (UAI-1999)*. Morgan Kaufmann Publishers, San Francisco, CA. URL citeseer.ist.psu.com/friedman99data.html.
- FRIEDMAN, N. and KOLLER, D., 2003: Being Bayesian about Network Structure: A Bayesian Approach to Structure Discovery in Bayesian Networks. *Machine Learning* 50, 95–126. URL <http://dx.doi.org/10.1023/A:1020249912095>.
- FRIEDMAN, N., LINIAL, M., NACHMAN, I., and PE'ER, D., 2000: Using Bayesian networks to analyze expression data. *Journal of Computational Biology* 7(3), 601–620. URL <http://citeseer.ist.psu.com/friedman99using.html>.
- FRIEDMAN, N., MURPHY, K., and RUSSELL, S., 1998: Learning the Structure of Dynamic Probabilistic Networks. In: *Proceedings of the 14th Annual Conference on Uncertainty in Artificial Intelligence (UAI-98)*. Morgan Kaufmann Publishers, San Francisco, CA.

- FRIEDMAN, N., NACHMAN, I., and PEER, D., 1999b: Learning Bayesian Network Structures from Massive Datasets: The Sparse Candidate Algorithm. In: *Proc. of Uncertainty in Artificial Intelligence*. URL citeseer.ifi.unizh.ch/article/friedman99learning.html.
- DE LA FUENTE, A., BING, N., HOESCHELE, I., and MENDES, P., 2004: Discovery of meaningful associations in genomic data using partial correlation coefficients. *Bioinformatics* 20(18), 3565–3574. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/18/3565>.
- DE LA FUENTE, A., BRAZHNİK, P., and MENDES, P., 2002: Linking the Genes: Inferring Quantitative Gene Networks from Microarray Data. *Trends in Genetics* 18(8), 395–398. URL <http://www.vbi.vt.edu/~mendes/Tig02/tig02.html>. ScienceDirect.
- DE LA FUENTE, A. and MENDES, P., 2002: Quantifying gene networks with regulatory strengths. *Molecular Biology Reports* 29(1-2), 73–77. URL <http://www.rmsb.u-bordeaux2.fr/BTK/abstracts/15-delaFuente.pdf>.
- GADKAR, K., GUNAWAN, R., and DOYLE, F., 2005: Iterative approach to model identification of biological networks. *BMC Bioinformatics* 6(1), 155. URL <http://dx.doi.org/10.1186/1471-2105-6-155>.
- GAO, F., FOAT, B., and BUSSEMAKER, H., 2004: Defining transcriptional networks through integrative modeling of mRNA expression and transcription factor binding data. *BMC Bioinformatics* 5(1), 31.
- GARDNER, T. S., DI BERNARDO, D., LORENZ, D., and COLLINS, J. J., 2003: Inferring Genetic Networks and Identifying Compound Mode of Action via Expression Profiling. *Science* 301(5629), 102–105. URL <http://www.sciencemag.org/cgi/content/abstract/301/5629/102>.
- GAT-VIKS, I. and SHAMIR, R., 2003: Chain functions and scoring functions in genetic networks. *Bioinformatics* 19(90001), 108i–117. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/19/suppl_1/i108.
- GAT-VIKS, I., SHAMIR, R., KARP, R., and SHARAN, R., 2004a: Reconstructing chain functions in genetic networks. *Pac Symp Biocomput* , 498–509 URL <http://helix-web.stanford.edu/psb04/gat-viks.pdf>.
- GAT-VIKS, I., TANAY, A., and SHAMIR, R., 2004b: Modeling and Analysis of Heterogeneous Regulation in Biological Networks. *Journal of Computational Biology* 11(6), 1034–1049. URL <http://www.liebertonline.com/doi/abs/10.1089/cmb.2004.11.1034>.
- GEIGER, D. and HECKERMAN, D., 1994: Learning Gaussian Networks. In: R. L. DE MÁNTARAS and D. POOLE (eds.), *Proceedings of the Tenth Annual Conference on Uncertainty in Artificial Intelligence*. Morgan Kaufmann, Seattle, Washington, USA. URL citeseer.ist.psu.com/178866.html.
- GEIGER, D. and HECKERMAN, D., 1997: A Characterization of the Dirichlet Distribution Through Global and Local Parameter Independence. *The Annals of Statistics* 25(3), 1344–1369. URL <ftp://ftp.research.microsoft.com/pub/tr/tr-94-16.ps>.
- GEIGER, D., HECKERMAN, D., KING, H., and MEEK, C., 2001: Stratified exponential families: Graphical models and model selection. *Annals of Statistics* 29, 505–529. URL <http://dx.doi.org/10.1214/aos/1009210550>.
- GEIGER, D., HECKERMAN, D., and MEEK, C., 1996: Asymptotic Model Selection for Directed Networks with Hidden Variables. In: *Proc. of Twelfth Conference on Uncertainty in Artificial Intelligence (UAI-96)*. Morgan Kaufmann, Portland, Oregon. URL <http://citeseer.ist.psu.com/geiger96asymptotic.html>.

- GEIGER, D. and MEEK, C., 1998: Graphical models and exponential families. In: *Uncertainty in Artificial Intelligence. Proceedings of the Fourteenth Conference (1998)*. Morgan Kaufman. URL http://research.microsoft.com/research/pubs/view.aspx?tr_id=123.
- GELMAN, A., CARLIN, J. B., STERN, H., and RUBIN, D. B., 1996: *Bayesian Data Analysis*. Chapman and Hall-CRC.
- GENG, Z., WANG, C., and ZHAO, Q., 2005: Decomposition of search for v-structures in DAGs. *Journal of Multivariate Analysis* 96(2), 282–294. URL <http://www.sciencedirect.com/science/article/B6WK9-4F14YS5-1/2/1ee55252675129f5001392527d3de3a6>.
- GIUDICI, P. and CASTELO, R., 2003: Improving MCMC model search for data mining. *Machine Learning* 50, 127–158. URL <http://ipsapp007.lwwonline.com/content/getfile/4984/67/5/fulltext.pdf>.
- GRAEBER, T. G. and EISENBERG, D., 2001: Bioinformatic identification of potential autocrine signaling loops in cancers from gene expression profiles. *Nature Genetics* 29(3), 295 – 300. URL <http://dx.doi.org/10.1038/ng755>.
- GREENSPAN, R., 2001: The flexible genome. *Nat Rev Genet* 2(5), 383–7. URL <http://dx.doi.org/10.1038/35072018>.
- GUELMAN, N., BOTTANI, S., BOURGINE, P., and KÉPÈS, F., 2002: Topological and causal structure of the yeast transcriptional regulatory network. *Nature Genetics* 31(1), 60 – 63. URL <http://dx.doi.org/10.1038/ng873>.
- GUTHKE, R., MLLER, U., HOFFMANN, M., THIES, F., and TPFER, S., 2005: Dynamic network reconstruction from gene expression data applied to immune response during bacterial infection. *Bioinformatics* 21(8), 1626–34. URL <http://dx.doi.org/10.1093/bioinformatics/bti226>.
- HALPERN, J., 2001: Conditional Plausibility Measures and Bayesian Networks. *Journal of Artificial Intelligence Research* 14, 359–389. URL <http://www.cs.cmu.edu/afs/cs/project/jair/pub/volume14/halpern01a.ps>.
- HARBISON, C. T., GORDON, D. B., LEE, T. I., RINALDI, N. J., MACISAAC, K. D., DANFORD, T. W., HANNETT, N. M., TAGNE, J.-B., REYNOLDS, D. B., YOO, J., JENNINGS, E. G., ZEITLINGER, J., POKHOLOK, D. K., KELLIS, M., ROLFE, P. A., TAKUSAGAWA, K. T., LANDER, E. S., GIFFORD, D. K., FRAENKEL, E., and YOUNG, R. A., 2004: Transcriptional regulatory code of a eukaryotic genome. *Nature* 431, 99 – 104. URL <http://dx.doi.org/10.1038/nature02800>.
- HARTEMINK, A., GIFFORD, D., JAAKKOLA, T., and YOUNG, R., 2002: Combining Location and Expression Data for Principled Discovery of Genetic Regulatory Network Models. In: *Proceedings of Pacific Symposium on Biocomputing 7:437-449*. URL <http://www.smi.stanford.edu/projects/helix/psb02/hartemink.pdf>.
- HARTEMINK, A. J., 2005: Reverse engineering gene regulatory networks. *Nat Biotechnol* 23(5), 554–5. URL <http://dx.doi.org/10.1038/nbt0505-554>.
- HARTEMINK, A. J., GIFFORD, D. K., JAAKKOLA, T. S., and YOUNG, R. A., 2001: Using Graphical Models and Genomic Expression Data to Statistically Validate Models of Genetic Regulatory Networks. In: *Proc. of PSB 2001*. URL <http://www.psrq.lcs.mit.edu/history/publications/Papers/psbabs.html>.
- HASHIMOTO, R. F., KIM, S., SHMULEVICH, I., ZHANG, W., BITTNER, M. L., and DOUGHERTY, E. R., 2004: Growing genetic regulatory networks from seed genes. *Bioinformatics* 20(8), 1241–1247. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/8/1241>.

- HECKERMAN, D., 1995a: A Tutorial on Learning Bayesian Networks. Tech. Rep. MSR-TR-95-06, Microsoft Research. URL <http://citeseer.ist.psu.com/article/heckerman95tutorial.html>.
- HECKERMAN, D., 1995b: A Bayesian approach to learning causal networks. In: *Proc. Eleventh Conf. on Uncertainty in Artificial Intelligence*. Morgan Kaufmann, San Francisco, CA. URL <http://research.microsoft.com/scripts/pubdb/pubsasp.asp?recordID=65>.
- HECKERMAN, D., 1997: A Bayesian Approach to Causal Discovery. *Data Mining and Knowledge Discovery* 1(1), 79–119. URL <http://citeseer.ist.psu.com/176059.html>.
- HECKERMAN, D. and CHICKERING, D., 1996: A Comparison of Scientific and Engineering Criteria for Bayesian Model Selection. Tech. Rep. MSR-TR-96-12, Microsoft Research. URL <http://research.microsoft.com/scripts/pubdb/pubsasp.asp?recordID=31>. (revised November, 1996).
- HECKERMAN, D., GEIGER, D., and CHICKERING, D. M., 1995: Learning Bayesian Networks: The Combination of Knowledge and Statistical Data. *Machine Learning* 20(3), 197–243. URL <http://dx.doi.org/10.1023/A:1022623210503>.
- HECKERMAN, D. and MEEK, C., 1997: Models and Selection Criteria for Regression and Classification. In: D. GEIGER and P. SHENOY (eds.), *Proc. Uncertainty in Artificial Intelligence 13 (UAI '97)*. URL <http://citeseer.ist.psu.com/heckerman97model.html>.
- HECKERMAN, D. and SHACHTER, R. D., 1995: Decision-Theoretic Foundations for Causal Reasoning. *Journal of Artificial Intelligence Research* 3, 405–430. URL <http://citeseer.ist.psu.com/article/heckerman95decisiontheoretic.html>.
- HELMAN, P., VEROFF, R., ATLAS, S. R., and WILLMAN, C., 2004: A Bayesian Network Classification Methodology for Gene Expression Data. *Journal of Computational Biology* 11(4), 581 – 615. URL <http://dx.doi.org/10.1089/1066527041887294>.
- HERRGARD, M. J., COVERT, M. W., and PALSSON, B. O., 2003: Reconciling Gene Expression Data With Known Genome-Scale Regulatory Network Structures. *Genome Res.* 13(11), 2423–2434. URL <http://www.genome.org/cgi/content/abstract/13/11/2423>.
- DE HOON, M. J. L., MAKITA, Y., IMOTO, S., KOBAYASHI, K., OGASAWARA, N., NAKAI, K., and MIYANO, S., 2004: Predicting gene regulation by sigma factors in *Bacillus subtilis* from genome-wide data. *Bioinformatics* 20(suppl.1), i101–108. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/20/suppl_1/i101.
- HOOPER, P., 2004: Dependent Dirichlet priors and optimal linear estimators for belief net parameters. In: *Uncertainty in Artificial Intelligence. Proceedings of the Twentieth Conference (2004)*. URL http://www.stat.ualberta.ca/~hooper/research/papers/ddprior_uai04.pdf.
- HOOSHANGI, S., THIBERGE, S., and WEISS, R., 2005: Ultrasensitivity and noise propagation in a synthetic transcriptional cascade. *Proc Natl Acad Sci U S A* 102(10), 3581–6. URL <http://dx.doi.org/10.1073/pnas.0408507102>.
- HSING, M., BELLENSON, J. L., SHANKEY, C., and CHERKASOV, A., 2004: Modeling of cell signaling pathways in macrophages by semantic networks. *BMC Bioinformatics* 5(156). URL <http://dx.doi.org/10.1186/1471-2105-5-156>.
- HUGHES, T. R., MARTON, M. J., JONES, A. R., ROBERTS, C. J., STOUGHTON, R., ARMOUR, C. D., BENNETT, H. A., COFFEY, E., DAI, H., HE, Y. D., KIDD, M. J., KING, A. M., MEYER, M. R., SLADE, D., LUM, P. Y., STEPANIANTS, S. B., SHOEMAKER, D. D., GACHOTTE, D., CHAKRABURTTY, K., SIMON, J., BARD, M., and FRIEND, S. H.,

- 2000: Functional Discovery via a Compendium of Expression Profiles. *Cell* 102, 109–126. URL <http://www.cell.com/cgi/content/abstract/102/1/109/>.
- HULTEN, G., CHICKERING, D. M., and HECKERMAN, D., 2003: Learning Bayesian Networks From Dependency Networks: A Preliminary Study. In: C. M. BISHOP and B. J. FREY (eds.), *Proceedings of the Ninth International Workshop on Artificial Intelligence and Statistics*. Key West, FL. URL <http://research.microsoft.com/conferences/aistats2003/proceedings/126.ps>.
- HUSMEIER, D., 2003: Sensitivity and specificity of inferring genetic regulatory interactions from microarray experiments with dynamic Bayesian networks. *Bioinformatics* 19(17), 2271–2282. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/19/17/2271>.
- IDEKER, T., 2004: A systems approach to discovering signaling and regulatory pathways—or, how to digest large interaction networks into relevant pieces. *Adv Exp Med Biol* 547, 21–30.
- IDEKER, T., OZIER, O., SCHWIKOWSKI, B., and SIEGEL, A. F., 2002: Discovering regulatory and signalling circuits in molecular interaction networks. *Bioinformatics* 18(90001), 233S–240. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/18/suppl_1/S233.
- IDEKER, T., THORSSON, V., and KARP, R. M., 2000: Discovery of regulatory interactions through perturbation: inference and experimental design. In: *Proc. of the Pacif Symp. on Biocomputing*, vol. 5. URL <http://www.smi.stanford.edu/projects/helix/psb00/ideker.pdf>.
- IDEKER, T., THORSSON, V., RANISH, J. A., CHRISTMAS, R., BUHLER, J., ENG, J. K., BUMGARNER, R., GOODLETT, D. R., AEBERSOLD, R., and HOOD, L., 2001: Integrated Genomic and Proteomic Analyses of a Systematically Perturbed Metabolic Network. *Science* 292(5518), 929–934. URL <http://www.sciencemag.org/cgi/content/abstract/292/5518/929>.
- IMOTO, S., GOTO, T., and MIYANO, S., 2002: Estimation of genetic networks and functional structures between genes by using Bayesian network and nonparametric regression. In: *Pacific Symposium on Biocomputing*, vol. 7. URL http://bonsai.ims.u-tokyo.ac.jp/~imoto/imoto_psb2002.pdf.
- IMOTO, S., HIGUCHI, T., GOTO, T., TASHIRO, K., KUHARA, S., and MIYANO, S., 2003a: Combining microarrays and biological knowledge for estimating gene networks via Bayesian networks. In: *Proc. 2nd Computational Systems Bioinformatics*. URL <http://bonsai.ims.u-tokyo.ac.jp/~imoto/008-54-imoto54.pdf>.
- IMOTO, S., KIM, S., GOTO, T., MIYANO, S., ABURATANI, S., TASHIRO, K., and KUHARA, S., 2003b: Bayesian network and nonparametric heteroscedastic regression for nonlinear modeling of genetic network. *J Bioinform Comput Biol* 1(2), 231–52.
- IMOTO, S., SAVOIE, C. J., ABURATANI, S., KIM, S., TASHIRO, K., KUHARA, S., and MIYANO, S., 2003c: Use of Gene Networks for Identifying and Validating Drug Targets. *Journal of Bioinformatics and Computational Biology* 1(3), 459–474. URL <http://dx.doi.org/10.1142/S0219720003000290>.
- IOSSIFOV, I., KRAUTHAMMER, M., FRIEDMAN, C., HATZIVASSILOGLOU, V., BADER, J. S., WHITE, K. P., and RZHETSKY, A., 2004: Probabilistic inference of molecular networks from noisy data sources. *Bioinformatics* 20(8), 1205–1213. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/8/1205>.
- IWAMA, H. and GOJOBORI, T., 2004: Highly conserved upstream sequences for transcription factor genes and implications for the regulatory network. *PNAS* , 0407670101 URL <http://www.pnas.org/cgi/content/abstract/0407670101v1>.

- JANSEN, R., YU, H., GREENBAUM, D., KLUGER, Y., KROGAN, N. J., CHUNG, S., EMILI, A., SNYDER, M., GREENBLATT, J. F., and GERSTEIN, M., 2003: A Bayesian Networks Approach for Predicting Protein-Protein Interactions from Genomic Data. *Science* 302(5644), 449–453. URL <http://www.sciencemag.org/cgi/content/abstract/302/5644/449>.
- JENSEN, F. A., 1996: *An Introduction to Bayesian Networks*. Springer, New York.
- JORDAN, M. I. (ed.), 1999: *Learning in Graphical Models*. MIT Press, Cambridge, MA.
- KATO, T., TSUDA, K., and ASAI, K., 2005: Selective integration of multiple biological data for supervised network inference. *Bioinformatics* URL <http://dx.doi.org/10.1093/bioinformatics/bti339>.
- KAUFFMAN, S., PETERSON, C., SAMUELSSON, B., and TROEIN, C., 2004: Genetic networks with canalizing Boolean rules are always stable. *PNAS* , 0407783101 URL <http://www.pnas.org/cgi/content/abstract/0407783101v1>.
- KAUFMAN, A., KUPIEC, M., and RUPPIN, E., 2004: Multi-Knockout Genetic Network Analysis: The Rad6 Example. In: *CSB*. URL http://conferences.computer.org/bioinformatics/CSB2004/PDF/033_Kaufman_A_MultiKnockout.pdf.
- KHAN, R., ZENG, Y., GARCIA-FRIAS, J., and G.R.GAO, 2002: A Bayesian Modeling Framework for Genetic Regulation. URL http://capb.dbi.udel.edu/main/papers/rishi/Bayesian/khan_bayesian.pdf. Poster at The Tenth International Conference on Intelligent Systems for Molecular Biology (ISMB2002).
- KHOLODENKO, B. N., KIYATKIN, A., BRUGGEMAN, F. J., SONTAG, E., WESTERHOFF, H. V., and HOEK, J. B., 2002: Untangling the wires: A strategy to trace functional interactions in signaling and gene networks. *PNAS* 99(20), 12841–12846. URL <http://www.pnas.org/cgi/content/abstract/99/20/12841>.
- KIGHTLEY, D., CHANDRA, N., and ELLISTON, K., 2004: Inferring gene regulatory networks from raw data—a molecular epistemics approach. *Pac Symp Biocomput* , 510–20 URL <http://helix-web.stanford.edu/psb04/kightley.pdf>.
- KIKUCHI, S., TOMINAGA, D., ARITA, M., TAKAHASHI, K., and TOMITA, M., 2003: Dynamic modeling of genetic networks using genetic algorithm and S-system. *Bioinformatics* 19(5), 643–650. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/19/5/643>.
- KIM, S., WEINSTEIN, J., and GREFENSTETTE, J., 2003: Inference of large-scale topology of gene regulation networks by neural nets. In: *Proceedings of IEEE International Conference on Systems, Man and Cybernetics*, vol. 4. IEEE, Washington, D.C., USA. URL http://www.science.gmu.edu/~skime/papers/SMC_648_WC1_2_3969.pdf.
- KISHINO, H. and WADDELL, P. J., 2000: Correspondence Analysis of Genes and Tissue Types and Finding Genetic Links from Microarray Data. In: A. DUNKER, A. KONAGAYA, S. MIYANO, and T.TAKAGI (eds.), *Genome Informatics*. Universal Academy Press, Tokyo. URL <http://www.jsbi.org/journal/GIW00/GIW00F09.html>.
- KITANO, H., 2003: A graphical notation for biochemical networks. *BIOSILICO* 1(5), 169–176. URL [http://dx.doi.org/10.1016/S1478-5382\(03\)02380-1](http://dx.doi.org/10.1016/S1478-5382(03)02380-1).
- KITANO, H., 2004: Biological robustness. *Nat Rev Genet* 5(11), 826–37. URL <http://dx.doi.org/10.1038/nrg1471>.
- KITANO, H., FUNAHASHI, A., MATSUOKA, Y., and ODA, K., 2005: Using process diagrams for the graphical representation of biological networks. *Nat Biotech* 23(8), 961–966. URL <http://dx.doi.org/10.1038/nbt1111>.

- KLIPP, E., NORDLANDER, B., KRGER, R., GENNEMARK, P., and HOHMANN, S., 2005: Integrative model of the response of yeast to osmotic shock. *Nat Biotechnol* 23(8), 975–82. URL <http://dx.doi.org/10.1038/nbt1114>.
- KLOPOTEK, M., 2000: On a Deficiency of the FCI Algorithm Learning Bayesian Networks from Data. *Demonstratio Mathematica* XXXIII(1), 181–194. URL citeseer.ist.psu.com/430242.html.
- KOCH, I., JUNKER, B. H., and HEINER, M., 2005: Application of Petri net theory for modelling and validation of the sucrose breakdown pathway in the potato tuber. *Bioinformatics* 21(7), 1219–26. URL <http://dx.doi.org/10.1093/bioinformatics/bti145>.
- KOIVISTO, M. and SOOD, K., 2004: Exact Bayesian Structure Discovery in Bayesian Networks. *Journal of Machine Learning Research* 5, 549–573. URL <http://www.jmlr.org/papers/v5/koivisto04a.html>.
- KOSTKA, D. and SPANG, R., 2004: Finding disease specific alterations in the co-expression of genes. *Bioinformatics* 20 Suppl 1, I194–I199. URL <http://dx.doi.org/10.1093/bioinformatics/bth909>.
- KREMLING, A., FISCHER, S., GADKAR, K., DOYLE, F. J., SAUTER, T., BULLINGER, E., ALLGWER, F., and GILLES, E. D., 2004: A benchmark for methods in reverse engineering and model discrimination: problem formulation and solutions. *Genome Res* 14(9), 1773–85. URL <http://dx.doi.org/10.1101/gr.1226004>.
- KWON, A. T., HOOS, H. H., and NG, R., 2003: Inference of transcriptional regulation relationships from gene expression data. *Bioinformatics* 19(8), 905–912. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/19/8/905>.
- LÄHDESMÄKI, H., SHMULEVICH, I., and YLI-HARJA, O., 2003: On Learning Gene Regulatory Networks Under the Boolean Network Model. *Machine Learning* 52(1-2), 147–167. URL <http://dx.doi.org/10.1023/A:1023905711304>.
- LATTNER, A., KIM, S., CERVONE, G., and GREFENSTETTE, J., 2003: Experimental comparison of symbolic learning programs for the classification of gene network topology models. In: *Annual Meeting of the GI Working Group "Machine Learning, Knowledge Discovery, Data Mining" (FGML)*. Karlsruhe, Germany. URL <http://www.science.gmu.edu/~skime/papers/Lattner.pdf>.
- LAURITZEN, S. L., 1995: The EM algorithm for graphical association models with missing data. *Computational Statistics & Data Analysis* 19(2), 191–201. URL [http://dx.doi.org/10.1016/0167-9473\(93\)E0056-A](http://dx.doi.org/10.1016/0167-9473(93)E0056-A).
- LAURITZEN, S. L., 1996: *Graphical Models*. Clarendon Press, Oxford.
- LAURITZEN, S. L., 1999: Causal Inference from Graphical Models. URL <http://citeseer.ist.psu.com/article/lauritzen99causal.html>.
- LAURITZEN, S. L. and SHEEHAN, N. A., 2002: Graphical models for genetic analyses. Tech. Rep. R-02-2020, Department of Mathematical Sciences, Aalborg University. URL <http://www.math.auc.dk/~steffen/papers/grgenet.ps>.
- LEE, I., DATE, S. V., ADAI, A. T., and MARCOTTE, E. M., 2004: A Probabilistic Functional Network of Yeast Genes. *Science* 306(5701), 1555–1558. URL <http://www.sciencemag.org/cgi/content/abstract/306/5701/1555>.
- LEE, P. H. and LEE, D., 2005: Modularized learning of genetic interaction networks from biological annotations and mRNA expression data. *Bioinformatics* URL <http://dx.doi.org/10.1093/bioinformatics/bti406>.

- LEE, T. I., RINALDI, N. J., ROBERT, F., ODOM, D. T., BAR-JOSEPH, Z., GERBER, G. K., HANNETT, N. M., HARBISON, C. T., THOMPSON, C. M., SIMON, I., ZEITLINGER, J., JENNINGS, E. G., MURRAY, H. L., GORDON, D. B., REN, B., WYRICK, J. J., TAGNE, J.-B., VOLKERT, T. L., FRAENKEL, E., GIFFORD, D. K., and YOUNG, R. A., 2002: Transcriptional regulatory networks in *Saccharomyces cerevisiae*. *Science* 298(5594), 799–804. URL <http://dx.doi.org/10.1126/science.1075090>.
- LEEUWEN, J. v., 1990: Graph algorithms. In: *Handbook of Theoretical Computer Science*, Elsevier, 525–632.
- LEMELLE, S., LATIFI, A., and GEISELMANN, J., 2005: Inferring the connectivity of a regulatory network from mRNA quantification in *Synechocystis* PCC6803. *Nucleic Acids Res* 33(10), 3381–9. URL <http://dx.doi.org/10.1093/nar/gki654>.
- LIANG, S., FUHRMANN, S., and SOMOGYI, R., 1998: REVEAL, a general reverse engineering algorithm for inference of genetic network architectures. In: *Proc. of Pacific Symposium on Biocomputing*, no. 3. URL <http://www.smi.stanford.edu/projects/helix/psb98/liang.pdf>.
- LIAO, J. C., BOSCOLO, R., YANG, Y.-L., TRAN, L. M., SABATTI, C., and ROYCHOWDHURY, V. P., 2003: Network component analysis: Reconstruction of regulatory signals in biological systems. *PNAS* 100(26), 15522–15527. URL <http://www.pnas.org/cgi/content/abstract/100/26/15522>.
- LIU, Y. and ZHAO, H., 2004: A computational approach for ordering signal transduction pathway components from genomics and proteomics data. *BMC Bioinformatics* 5(158). URL <http://dx.doi.org/10.1186/1471-2105-5-158>.
- LJUNG, L., 1999: *System Identification – Theory for the User*. Prentice Hall, 2nd edn.
- LU, X., HAUSKRECHT, M., and DAY, R., 2004: Modeling cellular processes with variational Bayesian cooperative vector quantizer. *Pac Symp Biocomput*, 533–44 URL <http://helix-web.stanford.edu/psb04/lu.pdf>.
- MA, H.-W., BUER, J., and ZENG, A.-P., 2004: Hierarchical structure and modules in the *Escherichia coli* transcriptional regulatory network revealed by a new top-down approach. *BMC Bioinformatics* 5(1), 199. URL <http://dx.doi.org/10.1186/1471-2105-5-199>.
- MA'AYAN, A., JENKINS, S. L., NEVES, S., HASSELDINE, A., GRACE, E., DUBIN-THALER, B., EUNG DAMRONG, N. J., WENG, G., RAM, P. T., RICE, J. J., KERSHENBAUM, A., STOLOVITZKY, G. A., BLITZER, R. D., and IYENGAR, R., 2005: Formation of Regulatory Patterns During Signal Propagation in a Mammalian Cellular Network. *Science* 309(5737), 1078–1083. URL <http://www.sciencemag.org/cgi/content/abstract/309/5737/1078>.
- MACCARTHY, T., POMIANKOWSKI, A., and SEYMOUR, R., 2005: Using large-scale perturbations in gene network reconstruction. *BMC Bioinformatics* 6(11), ??? URL <http://www.biomedcentral.com/1471-2105/6/11>.
- MAGWENE, P. M. and KIM, J., 2004: Estimating genomic coexpression networks using first-order conditional independence. *Genome Biol* 5(12), R100. URL <http://dx.doi.org/10.1186/gb-2004-5-12-r100>.
- MAKI, Y., TAKAHASHI, Y., ARIKAWA, Y., WATANABE, S., AOSHIMA, K., EGUCHI, Y., UEDA, T., ABURATANI, S., KUHARA, S., and OKAMOTO, M., 2004: An integrated comprehensive workbench for inferring genetic networks: VoyaGene. *Journal of Bioinformatics and Computational Biology* 2(3), 533–550. URL <http://dx.doi.org/10.1142/S0219720004000727>.

- MANDEL, J., PALFREYMAN, N. M., LOPEZ, J. A., and DUBITZKY, W., 2004: Representing bioinformatics causality. *Brief Bioinform* 5(3), 270–83.
- MAO, L. and RESAT, H., 2004: Probabilistic representation of gene regulatory networks. *Bioinformatics* 20(14), 2258–69. URL <http://dx.doi.org/10.1093/bioinformatics/bth236>.
- MARKOWETZ, F., 2005: A bibliography on learning causal networks of gene interactions. URL <http://www.molgen.mpg.de/~markowet/docs/network-bib.pdf>. URL <http://www.molgen.mpg.de/~markowet/docs/network-bib.pdf>.
- MARKOWETZ, F., BLOCH, J., and SPANG, R., 2005a: Non-transcriptional pathway features reconstructed from secondary effects of RNA interference. *Bioinformatics* 21(21), 4026–4032.
- MARKOWETZ, F., GROSSMANN, S., and SPANG, R., 2005b: Probabilistic soft interventions in Conditional Gaussian networks. In: R. COWELL and Z. GHAHRAMANI (eds.), *Proc. Tenth International Workshop on Artificial Intelligence and Statistics*. URL <http://www.molgen.mpg.de/~markowet/docs/markowetz@aistats2005.pdf>.
- MARKOWETZ, F. and SPANG, R., 2003: Evaluating the Effect of Perturbations in Reconstructing Network Topologies. In: K. HORNIK, F. LEISCH, and A. ZEILEIS (eds.), *Proceedings of the 3rd International Workshop on Distributed Statistical Computing (DSC 2003)*. URL <http://www.ci.tuwien.ac.at/Conferences/DSC-2003/Proceedings/MarkowetzSpang.pdf>.
- MEINSHAUSEN, N. and BÜHLMANN, P., 2005: High dimensional graphs and variable selection with the Lasso. *Annals of Statistics* (??), ? URL <http://stat.ethz.ch/~nicolai/consistent.pdf>.
- MENDES, P., SHA, W., and YE, K., 2003: Artificial gene networks for objective comparison of analysis algorithms. *Bioinformatics* 19(90002), 122ii–129. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/19/suppl_2/ii122.
- MIDDENDORF, M., KUNDAJE, A., WIGGINS, C., FREUND, Y., and LESLIE, C., 2004: Predicting genetic regulatory response using classification. *Bioinformatics* 20(suppl.1), i232–240. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/20/suppl_1/i232.
- MIDDENDORF, M., ZIV, E., and WIGGINS, C. H., 2005: Inferring network mechanisms: The *Drosophila melanogaster* protein interaction network. *PNAS* , 0409515102 URL <http://www.pnas.org/cgi/content/abstract/0409515102v1>.
- MILO, R., ITZKOVITZ, S., KASHTAN, N., LEVITT, R., SHEN-ORR, S., AYZENSHTAT, I., SHEFFER, M., and ALON, U., 2004: Superfamilies of Evolved and Designed Networks. *Science* 303(5663), 1538–1542. URL <http://www.sciencemag.org/cgi/content/abstract/303/5663/1538>.
- MILO, R., SHEN-ORR, S., ITZKOVITZ, S., KASHTAN, N., CHKLOVSKII, D., and ALON, U., 2002: Network Motifs: Simple Building Blocks of Complex Networks. *Science* 298(5594), 824–827. URL <http://www.sciencemag.org/cgi/content/abstract/298/5594/824>.
- MONTI, S. and COOPER, G. F., 1999: Learning Hybrid Bayesian Networks from Data. In: M. JORDAN (ed.), *Learning in Graphical Models*. MIT Press, 521 – 540.
- MURPHY, K., 2001a: Learning Bayes net structure from sparse data sets. Tech. rep., Comp. Sci. Div., UC Berkeley. URL citeseer.ist.psu.com/murphy01learning.html.
- MURPHY, K., 2001b: The Bayes Net Toolbox for Matlab. *Computing Science and Statistics* 33. URL <http://www.ai.mit.edu/~murphyk/Papers/bnt.ps.gz>.

- MURPHY, K. and MIAN, S., 1999: Modelling gene expression data using dynamic Bayesian networks. Tech. rep., Computer Science Division, University of California, Berkeley, CA. URL <http://citeseer.ist.psu.edu/murphy99modelling.html>.
- MURPHY, K. P., 2001c: Active Learning of Causal Bayes Net Structure. URL <http://citeseer.ist.psu.com/451402.html>.
- NACHMAN, I., ELIDAN, G., and FRIEDMAN, N., 2004a: "Ideal Parent" structure learning for continuous variable networks. In: *AUAI '04: Proceedings of the 20th conference on Uncertainty in artificial intelligence*. AUAI Press, Arlington, Virginia, United States. URL <http://www.cs.huji.ac.il/~nir/Papers/NEF1.pdf>.
- NACHMAN, I., REGEV, A., and FRIEDMAN, N., 2004b: Inferring quantitative models of regulatory networks from expression data. *Bioinformatics* 20(suppl.1), i248–256. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/20/suppl_1/i248.
- NAKAHARA, H., NISHIMURA, S.-I., INOUE, M., HORI, G., and AMARI, S.-I., 2003: Gene interaction in DNA microarray data is decomposed by information geometric measure. *Bioinformatics* 19(9), 1124–1131. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/19/9/1124>.
- NARIAI, N., KIM, S., IMOTO, S., and MIYANO, S., 2004: Using protein-protein interactions for refining gene networks estimated from microarray data by Bayesian networks. *Pac Symp Biocomput*, 336–47 URL <http://helix-web.stanford.edu/psb04/nariai.pdf>.
- NARIAI, N., TAMADA, Y., IMOTO, S., and MIYANO, S., 2005: Estimating gene regulatory networks and protein-protein interactions of *Saccharomyces cerevisiae* from multiple genome-wide data. *Bioinformatics* 21 Suppl 2, ii206–ii212. URL <http://dx.doi.org/10.1093/bioinformatics/bti1133>.
- NEAL, R., 2000: On Deducing Conditional Independence from d-Separation in Causal Graphs with Feedback (Research Note). *Journal of Artificial Intelligence Research* 12, 87–91. URL <http://www.cs.washington.edu/research/jair/volume12/neal00a.ps>.
- NEAPOLITAN, R. E., 2004: *Learning Bayesian Networks*. Prentice Hall.
- NIKOLSKY, Y., EKINS, S., NIKOLSKAYA, T., and BUGRIM, A., 2005: A novel method for generation of signature networks as biomarkers from complex high throughput data. *Toxicol Lett* URL <http://dx.doi.org/10.1016/j.toxlet.2005.02.004>.
- NODA, K., SHINOHARA, A., TAKEDA, M., MATSUMOTO, S., MIYANO, S., and KUHARA, S., 1998: Finding Genetic Network from Experiments by Weighted Network Model. In: S. MIYANO and T. TAKAGI (eds.), *Genome Informatics 9*. Universal Academy Press, Tokyo. URL <http://www.jsbi.org/journal/GIW98/GIW98F15.pdf>.
- ONG, I. M., GLASNER, J. D., and PAGE, D., 2002: Modelling regulatory pathways in *E. coli* from time series expression profiles. *Bioinformatics* 18 Suppl 1, S241–8.
- ORRELL, D., RAMSEY, S., DE ATAURI, P., and BOLOURI, H., 2005: A method for estimating stochastic noise in large genetic regulatory networks. *Bioinformatics* 21(2), 208–217. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/21/2/208>.
- OTT, S., HANSEN, A., KIM, S.-Y., and MIYANO, S., 2005: Superiority of network motifs over optimal networks and an application to the revelation of gene network evolution. *Bioinformatics* 21(2), 227–238. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/21/2/227>.

- PACHTER, L. and STURMFELS, B., 2004: Tropical geometry of statistical models. *PNAS*, 16132–16137 URL <http://dx.doi.org/10.1073/pnas.0406010101>.
- PAL, R., DATTA, A., BITTNER, M. L., and DOUGHERTY, E. R., 2005: Intervention in context-sensitive probabilistic Boolean networks. *Bioinformatics* 21(7), 1211–8. URL <http://dx.doi.org/10.1093/bioinformatics/bti131>.
- PAPIN, J. A., HUNTER, T., PALSSON, B. O., and SUBRAMANIAM, S., 2005: Reconstruction of cellular signalling networks and analysis of their properties. *Nat Rev Mol Cell Biol* 6(2), 99–111. URL <http://dx.doi.org/10.1038/nrm1570>.
- PAULSSON, J., 2004: Summing up the noise in gene networks. *Nature* 427(6973), 415 – 418. URL <http://dx.doi.org/10.1038/nature02257>.
- PEARL, J., 1988: *Probabilistic Reasoning in Intelligent Systems: networks of plausible inference*. Morgan Kaufmann.
- PEARL, J., 1993: Aspects of graphical models connected with causality. In: *49th Session of the International Statistics Institute*. URL <http://citeseer.ist.psu.com/39222.html>.
- PEARL, J., 1995: Causal diagrams for empirical research. *Biometrika* 82(4), 669–709. URL <http://citeseer.ist.psu.com/55450.html>.
- PEARL, J., 1996: Causation, Action, and Counterfactuals. In: Y. SHOHAM (ed.), *Theoretical Aspects of Rationality and Knowledge: Proceedings of the Sixth Conference (TARK 1996)*. Morgan Kaufmann, San Francisco, 51–73. URL <http://citeseer.ist.psu.com/235854.html>.
- PEARL, J., 1998: Graphical Models for Probabilistic and Causal Reasoning. In: D. M. GABBAY and P. SMETS (eds.), *Handbook of Defeasible Reasoning and Uncertainty Management Systems, Volume 1: Quantified Representation of Uncertainty and Imprecision*. Kluwer Academic Publishers, Dordrecht, 367–389. URL <http://citeseer.ist.psu.com/pearl97graphical.html>.
- PEARL, J., 2000: *Causality: Models, Reasoning and Inference*. Cambridge University Press, Cambridge. URL <http://bayes.cs.ucla.edu/B00K-2K/index.html>.
- PEARL, J., 2001: Direct and Indirect Effects. In: *Proceedings of the Seventeenth Conference on Uncertainty in Artificial Intelligence*. Morgan Kaufmann, San Francisco. URL ftp://ftp.cs.ucla.edu/pub/stat_ser/R273-U.ps.
- PEARL, J. and VERMA, T., 1991a: A statistical semantics for causation. *Statistics and Computing* 2, 91–95. URL <http://citeseer.ist.psu.com/pearl91statistical.html>.
- PEARL, J. and VERMA, T. S., 1991b: A Theory of Inferred Causation. In: J. F. ALLEN, R. FIKES, and E. SANDEWALL (eds.), *KR'91: Principles of Knowledge Representation and Reasoning*. Morgan Kaufmann, San Mateo, California. URL <http://citeseer.ist.psu.com/pearl91theory.html>.
- PEDRAZA, J. M. and VAN OUDENAARDEN, A., 2005: Noise propagation in gene networks. *Science* 307(5717), 1965–9. URL <http://dx.doi.org/10.1126/science.1109090>.
- PE'ER, D., 2005: Bayesian Network Analysis of Signaling Networks: A Primer. *Science's STKE* 2005(281), pl4–. URL <http://stke.sciencemag.org/cgi/content/abstract/sigtrans;2005/281/pl4>.
- PE'ER, D., REGEV, A., ELIDAN, G., and FRIEDMAN, N., 2001: Inferring subnetworks from perturbed expression profiles. *Bioinformatics* 17(90001), S215–S224. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/17/suppl_1/S215.

- PE'ER, D., REGEV, A., and TANAY, A., 2002: Minreg: inferring an active regulator set. *Bioinformatics* 18 Suppl 1, S258–67.
- PEÑA, J., BJRKEGREN, J., and TEGNÉR, J., 2005: Growing Bayesian network models of gene networks from seed genes. *Bioinformatics* 21 Suppl 2, ii224–ii229. URL <http://dx.doi.org/10.1093/bioinformatics/bti1137>.
- PERRIN, B.-E., RALAIVOLA, L., MAZURIE, A., BOTTANI, S., MALLET, J., and D'ALCHE BUC, F., 2003: Gene networks inference using dynamic Bayesian networks. *Bioinformatics* 19(90002), 138ii–148. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/19/suppl_2/ii138.
- PETTI, A. A. and CHURCH, G. M., 2005: A network of transcriptionally coordinated functional modules in *Saccharomyces cerevisiae*. *Genome Res* URL <http://dx.doi.org/10.1101/gr.3847105>.
- PILPEL, Y., SUDARSANAM, P., and CHURCH, G. M., 2001: Identifying regulatory networks by combinatorial analysis of promoter elements. *Nat Genet* 29(2), 153–9. URL <http://dx.doi.org/10.1038/ng724>.
- POURNARA, I. and WERNISCH, L., 2004: Reconstruction of gene networks using Bayesian learning and manipulation experiments. *Bioinformatics* 20(17), 2934–2942. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/17/2934>.
- PRUDHOMME, W., DALEY, G. Q., ZANDSTRA, P., and LAUFFENBURGER, D. A., 2004: Multivariate proteomic analysis of murine embryonic stem cell self-renewal versus differentiation signaling. *Proc Natl Acad Sci U S A* 101(9), 2900–5. URL <http://dx.doi.org/10.1073/pnas.0308768101>.
- QIAN, J., LIN, J., LUSCOMBE, N. M., YU, H., and GERSTEIN, M., 2003: Prediction of regulatory networks: genome-wide identification of transcription factor targets from gene expression data. *Bioinformatics* 19(15), 1917–26.
- RAMSEY, S., ORREL, D., and BOLOURI, H., 2005: Dizzy: Stochastic simulation of large-scale genetic regulatory networks. *Journal of Bioinformatics and Computational Biology* 3(2), 415 – 436.
- RANGEL, C., ANGUS, J., GHAHRAMANI, Z., LIOUMI, M., SOTHERAN, E., GAIBA, A., WILD, D. L., and FALCIANI, F., 2004: Modeling T-cell activation using gene expression profiling and state-space models. *Bioinformatics* 20(9), 1361–1372. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/9/1361>.
- RANGEL, C., WILD, D. L., FALCIANI, F., GHAHRAMANI, Z., and GAIBA, A., 2001: Modeling biological responses using gene expression profiling and linear dynamical systems. In: *Proceedings of the 2nd International Conference on Systems Biology*. Omnipress, Madison, WI. URL http://www.icsb2001.org/Papers/14_Rangel_Paper.pdf.
- RAUTENGARTEN, C., STEINHAUSER, D., BSSIS, D., STINTZI, A., SCHALLER, A., KOPKA, J., and ALTMANN, T., 2005: Inferring Hypotheses on Functional Relationships of Genes: Analysis of the *Arabidopsis thaliana* Subtilase Gene Family. *PLoS Comput Biol* 1(4), e40. URL <http://dx.doi.org/10.1371/journal.pcbi.0010040>.
- RHODES, D. R., KALYANA-SUNDARAM, S., MAHAVISNO, V., BARRETTE, T. R., GHOSH, D., and CHINNAIYAN, A. M., 2005a: Mining for regulatory programs in the cancer transcriptome. *Nat Genet* 37(6), 579–583. URL <http://dx.doi.org/10.1038/ng1578>.

- RHODES, D. R., TOMLINS, S. A., VARAMBALLY, S., MAHAVISNO, V., BARRETTE, T., KALYANA-SUNDARAM, S., GHOSH, D., PANDEY, A., and CHINNAIYAN, A. M., 2005b: Probabilistic model of the human protein-protein interaction network. *Nat Biotech* 23(8), 951–959. URL <http://dx.doi.org/10.1038/nbt1103>.
- RICE, J. J., TU, Y., and STOLOVITZKY, G., 2004: Reconstructing biological networks using conditional correlation analysis. *Bioinformatics* URL <http://dx.doi.org/10.1093/bioinformatics/bti064>.
- ROBINSON, R. W., 1973: Counting labeled acyclic digraphs. In: F. HARARY (ed.), *New Directions in the Theory of Graphs*. Academic Press, New York, 239–273.
- ROGERS, S. and GIROLAMI, M., 2005: A Bayesian regression approach to the inference of regulatory networks from gene expression data. *Bioinformatics* URL <http://dx.doi.org/10.1093/bioinformatics/bti487>.
- ROSENFELD, N., YOUNG, J. W., ALON, U., SWAIN, P. S., and ELOWITZ, M. B., 2005: Gene regulation at the single-cell level. *Science* 307(5717), 1962–5. URL <http://dx.doi.org/10.1126/science.1106914>.
- ROVERATO, A., 2005: A Unified Approach to the Characterization of Equivalence Classes of DAGs, Chain Graphs with no Flags and Chain Graphs. *Scandinavian Journal of Statistics* 32(2), 295–312. URL <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1467-9469.2005.00422.x>.
- RUNG, J., SCHLITT, T., BRAZMA, A., FREIVALDS, K., and VILO, J., 2002: Building and analysing genome-wide gene disruption networks. *Bioinformatics* 18(90002), 202S–210. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/18/suppl_2/S202.
- RUSAKOV, D. and GEIGER, D., 2000: On parameter priors for discrete DAG models. Tech. rep., CIS2000 -08, Technion. URL citeseer.ist.psu.com/rusakov00parameter.html.
- SACHS, K., GIFFORD, D., JAAKKOLA, T., SORGER, P., and LAUFFENBURGER, D. A., 2002: Bayesian network approach to cell signaling pathway modeling. *Sci STKE* 2002(148), PE38. URL <http://dx.doi.org/10.1126/stke.2002.148.pe38>.
- SACHS, K., PEREZ, O., PE'ER, D., LAUFFENBURGER, D. A., and NOLAN, G. P., 2005: Causal protein-signaling networks derived from multiparameter single-cell data. *Science* 308(5721), 523–9. URL <http://dx.doi.org/10.1126/science.1105809>.
- SAID, M. R., BEGLEY, T. J., OPPENHEIM, A. V., LAUFFENBURGER, D. A., and SAMSON, L. D., 2004: Global network analysis of phenotypic effects: Protein networks and toxicity modulation in *Saccharomyces cerevisiae*. *Proc Natl Acad Sci U S A* URL <http://dx.doi.org/10.1073/pnas.0405996101>.
- SALOMONIS, N., COTTE, N., ZAMBON, A. C., POLLARD, K. S., VRANIZAN, K., DONIGER, S. W., DOLGANOV, G., and CONKLIN, B. R., 2005: Identifying genetic networks underlying myometrial transition to labor. *Genome Biology* 6(R12). URL <http://dx.doi.org/10.1186/gb-2005-6-2-r12>.
- SALVADOR, M. and GARGALLO, P., 2004: Automatic monitoring and intervention in multivariate dynamic linear models. *Computational Statistics & Data Analysis* 47(3), 401–431. URL <http://dx.doi.org/10.1016/j.csda.2003.11.024>.
- SAVOIE, C. J., ABURATANI, S., WATANABE, S., EGUCHI, Y., MUTA, S., IMOTO, S., MIYANO, S., KUHARA, S., and TASHIRO, K., 2003: Use of gene networks from full genome microarray libraries to identify functionally relevant drug-affected genes and gene regulation cascades. *DNA Res* 10(1), 19–25.

- SCHADT, E. E., LAMB, J., YANG, X., ZHU, J., EDWARDS, S., GUHATHAKURTA, D., SIEBERTS, S. K., MONKS, S., REITMAN, M., ZHANG, C., LUM, P. Y., LEONARDSON, A., THIERINGER, R., METZGER, J. M., YANG, L., CASTLE, J., ZHU, H., KASH, S. F., DRAKE, T. A., SACHS, A., and LUSIS, A. J., 2005: An integrative genomics approach to infer causal associations between gene expression and disease. *Nat Genet* 37(7), 710–717. URL <http://dx.doi.org/10.1038/ng1589>.
- SCHÄFER, J. and STRIMMER, K., 2005: An empirical Bayes approach to inferring large-scale gene association networks. *Bioinformatics* 21(6), 754–64. URL <http://dx.doi.org/10.1093/bioinformatics/bti062>.
- SCHLITT, T. and BRAZMA, A., 2002: Learning about gene regulatory networks from gene deletion experiments. *Comparative and Functional Genomics* 3(6), 499 – 503. URL <http://dx.doi.org/10.1002/cfg.220>.
- SCHLITT, T., PALIN, K., RUNG, J., DIETMANN, S., LAPPE, M., UKKONEN, E., and BRAZMA, A., 2003: From Gene Networks to Gene Function. *Genome Res.* 13(12), 2568–2576. URL <http://www.genome.org/cgi/content/abstract/13/12/2568>.
- SEBASTIANI, P. and RAMONI, M., 2005: Normative selection of Bayesian networks. *Journal of Multivariate Analysis* 93(2), 340–357. URL <http://www.sciencedirect.com/science/article/B6WK9-4CB00X5-2/2/44afe71e1616fdb92d3f51479623d504>.
- SEGAL, E., FRIEDMAN, N., KAMINSKI, N., REGEV, A., and KOLLER, D., 2005a: From signatures to models: understanding cancer using microarrays. *Nat Genet* 37 Suppl, S38–45. URL <http://dx.doi.org/10.1038/ng1561>.
- SEGAL, E., FRIEDMAN, N., KOLLER, D., and REGEV, A., 2004: A module map showing conditional activity of expression modules in cancer. *Nat Genet* 36(10), 1090–8. URL <http://dx.doi.org/10.1038/ng1434>.
- SEGAL, E., PE'ER, D., REGEV, A., KOLLER, D., and FRIEDMAN, N., 2003a: Learning Module Networks. In: *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*. Acapulco, Mexico. URL <http://robotics.stanford.edu/~erans/publications/uai03.pdf>.
- SEGAL, E., PE'ER, D., REGEV, A., KOLLER, D., and FRIEDMAN, N., 2005b: Learning Module Networks. *Journal of Machine Learning Research* 6(Apr), 557–588. URL <http://jmlr.csail.mit.edu/papers/v6/segal05a.html>.
- SEGAL, E., SHAPIRA, M., REGEV, A., PE'ER, D., BOTSTEIN, D., KOLLER, D., and FRIEDMAN, N., 2003b: Module networks: identifying regulatory modules and their condition-specific regulators from gene expression data. *Nature Genetics* 34(2), 166–176. URL <http://dx.doi.org/10.1038/ng1165>.
- SEGAL, E., TASKAR, B., GASCH, A., FRIEDMAN, N., and KOLLER, D., 2001: Rich probabilistic models for gene expression. *Bioinformatics* 17(90001), 243S–252. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/17/suppl_1/S243.
- SEGAL, E., WANG, H., and KOLLER, D., 2003c: Discovering molecular pathways from protein interaction and gene expression data. *Bioinformatics* 19(90001), 264i–272. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/19/suppl_1/i264.
- SEGAL, E., YELENSKY, R., and KOLLER, D., 2003d: Genome-wide discovery of transcriptional modules from DNA sequence and gene expression. *Bioinformatics* 19(90001), 273i–282. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/19/suppl_1/i273.
- SEGR, D., DELUNA, A., CHURCH, G. M., and KISHONY, R., 2005: Modular epistasis in yeast metabolism. *Nat Genet* 37(1), 77–83. URL <http://dx.doi.org/10.1038/ng1489>.

- SHEN-ORR, S. S., MILO, R., MANGAN, S., and ALON, U., 2002: Network motifs in the transcriptional regulation network of *Escherichia coli*. *Nature Genetics* 31(1), 64 – 68. URL <http://www.nature.com/cgi-taf/DynaPage.taf?file=/ng/journal/v31/n1/abs/ng881.html>. Doi:10.1038/ng881.
- SHIPLEY, B., 2000: *Cause and Correlation in Biology. A User's Guide to Path Analysis, Structural Equations and Causal Inference*. Cambridge University Press. URL <http://www.callisto.siu.usherb.ca:8080/bshipley/my%20book.htm>.
- SHMULEVICH, I., DOUGHERTY, E. R., KIM, S., and ZHANG, W., 2002a: Probabilistic Boolean Networks: a rule-based uncertainty model for gene regulatory networks. *Bioinformatics* 18(2), 261–74. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/18/2/261>.
- SHMULEVICH, I., DOUGHERTY, E. R., and ZHANG, W., 2002b: From Boolean to probabilistic Boolean networks as models of genetic regulatory networks. *Proceedings of the IEEE* 90(11), 1778–1792. URL <http://www2.mdanderson.org/app/ilya/Publications/ProcIEEEpbnsurvey.pdf>.
- SHMULEVICH, I., DOUGHERTY, E. R., and ZHANG, W., 2002c: Gene perturbation and intervention in probabilistic Boolean networks. *Bioinformatics* 18(10), 1319–1331. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/18/10/1319>.
- SHRAGER, J., LANGLEY, P., and POHORILLE, A., 2002: Guiding Revision Of Regulatory Models With Expression Data. In: *Proceedings of Pacific Symposium on Biocomputing 7:486-497*. URL <http://citeseer.ist.psu.com/475514.html>.
- SILVA, R., 2002: The Structure of the Unobserved. Tech. rep., CMU-CALD-02-102, Center for Automated Learning and Discovery, Carnegie Mellon University. URL <http://www-2.cs.cmu.edu/~rbas/CMU-CALD-02-102.pdf>.
- SILVA, R., SCHEINES, R., GLYMOUR, C., and SPIRITES, P., 2003: Learning Measurement Models for Unobserved Variables. In: *Proceedings of the 19th Annual Conference on Uncertainty in Artificial Intelligence (UAI-03)*. Morgan Kaufmann Publishers, San Francisco, CA. URL <http://www-2.cs.cmu.edu/~rbas/uai2003.pdf>.
- SMITH, P. W. F. and WHITTAKER, J., 1999: Edge exclusion tests for graphical Gaussian models. In: M. JORDAN (ed.), *Learning in Graphical Models*. MIT Press, 555 – 574.
- SMITH, V. A., JARVIS, E. D., and HARTEMINK, A. J., 2002: Evaluating functional network inference using simulations of complex biological systems. *Bioinformatics* 18(90001), 216S–224. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/18/suppl_1/S216.
- SMOLEN, P., BAXTER, D. A., and H., B. J., 200: Modeling transcriptional control in gene networks - methods, recent results and future directions. *Bulletin of Mathematical biology* 62, 247–292.
- SMYTH, P., HECKERMAN, D., and JORDAN, M., 1997: Probabilistic Independence Networks for Hidden Markov Probability Models. *Neural Computation* 9, 227–269. URL <http://citeseer.ist.psu.com/smyth96probabilistic.html>.
- SOHLER, F. and ZIMMER, R., 2005: Identifying active transcription factors and kinases from expression data using pathway queries. *Bioinformatics* 21(suppl 2), ii115–ii122. URL <http://dx.doi.org/10.1093/bioinformatics/bti1120>.
- SOINOV, L., 2003: Supervised classification for gene network reconstruction. *Biochem Soc Trans* 31(Pt 6), 1497–502. URL <http://dx.doi.org/10.1042/>.

- SOINOV, L. A., KRESTYANINOVA, M. A., and BRAZMA, A., 2003: Towards reconstruction of gene networks from expression data by supervised learning. *Genome Biology* 4(1). URL <http://genomebiology.com/2003/4/1/R6>.
- SOKHANSANJ, B. A., FITCH, J. P., QUONG, J. N., and QUONG, A. A., 2004: Linear fuzzy gene network models obtained from microarray data by exhaustive search. *BMC Bioinformatics* 5(108). URL <http://dx.doi.org/10.1186/1471-2105-5-108>.
- VAN SOMEREN, E., WESSELS, L., and REINDERS, M., 2001: Genetic network models: A comparative study. In: *Proc. of SPIE, 2001*. URL <http://citeseer.ist.psu.com/vansomeren01genetic.html>.
- SONTAG, E., KIYATKIN, A., and KHOLODENKO, B. N., 2004: Inferring dynamic architecture of cellular networks using time series of gene expression, protein and metabolite data. *Bioinformatics* 20(12), 1877–1886. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/12/1877>.
- SPELLMAN, P., SHERLOCK, G., ZHANG, M., IYER, V., ANDERS, K., EISEN, M., BROWN, P., BOTSTEIN, D., and FUTCHER, B., 1998: Comprehensive identification of cell cycle-regulated genes of the yeast *Saccharomyces cerevisiae* by microarray hybridization. *Mol Biol Cell* 9(12), 3273–97. URL <http://www.molbiolcell.org/cgi/content/full/9/12/3273>.
- SPIEGELHALTER, D., DAWID, A. P., LAURITZEN, S. L., and COWELL, R. G., 1993: Bayesian analysis in expert systems. *Statistical Science* 8(3), 219–283.
- SPIRITES, P., GLYMOUR, C., and SCHEINES, R., 2000a: *Causation, Prediction, and Search*. MIT Press, Cambridge, MA, 2nd edn.
- SPIRITES, P., GLYMOUR, C., SCHEINES, R., KAUFFMAN, S., AIMALE, V., and WIMBERLY, F., 2000b: Constructing Bayesian network models of gene expression networks from microarray data. In: *Proc. of the Atlantic Symposium on Computational Biology, Genome Information Systems and Technology*. URL <http://citeseer.ist.psu.com/spirites00constructing.html>.
- STECK, H., 2000a: On a Non-Local Search Strategy for Learning in Bayesian Networks. In: *ECAI Workshop on Bayesian and Causal Networks, Humboldt University, Berlin, Germany*. URL <http://www.ai.mit.edu/people/harald/proc/ecaiw00.ps>.
- STECK, H., 2000b: On the Use of Skeletons when Learning in Bayesian Networks. In: *Conference on Uncertainty in Artificial Intelligence (UAI)*. URL <http://www.ai.mit.edu/people/harald/proc/uai00.ps>.
- STECK, H., 2001: *Constraint-Based Structural Learning in Bayesian Networks using Finite Data Sets*. Ph.D. thesis, Munich University of Technology. URL <http://tumb1.biblio.tu-muenchen.de/publ/diss/in/2001/steck.html>.
- STECK, H. and JAAKKOLA, T., 2002a: On the Dirichlet Prior and Bayesian Regularization. In: *Advances in Neural Information Processing Systems 15*. MIT Press, Cambridge, MA. URL <http://books.nips.cc/papers/files/nips15/AA27.pdf>.
- STECK, H. and JAAKKOLA, T., 2003: (Semi-)Predictive Discretization during Model Selection. Tech. Rep. AI Memo AIM-2003-002, MIT. URL <http://www.ai.mit.edu/people/harald/proc/AIM-2003-002.ps>.
- STECK, H. and JAAKKOLA, T. S., 2002b: Unsupervised active learning in large domains. In: *Proceedings of the Eighteenth Annual Conference on Uncertainty in Artificial Intelligence*. URL <http://www.ai.mit.edu/people/tommi/papers/SteJaa-uai02.ps.gz>.

- STECK, H. and JAAKKOLA, T. S., 2004: Bias-Corrected Bootstrap and Model Uncertainty. In: S. THRUN, L. SAUL, and B. SCHÖLKOPF (eds.), *Advances in Neural Information Processing Systems 16*. MIT Press, Cambridge, MA. URL http://books.nips.cc/papers/files/nips16/NIPS2003_AA66.pdf.
- STECK, H. and TRESP, V., 1999: Bayesian Belief Networks for Data Mining. In: *Proc. 2nd Workshop DMDW99*. URL <http://www.ai.mit.edu/people/harald/proc/magdeburg99.ps>.
- STEFFEN, M., PETTI, A., AACH, J., D'HAESELEER, P., and CHURCH, G., 2002: Automated modelling of signal transduction networks. *BMC Bioinformatics* 3(34). URL <http://www.biomedcentral.com/1471-2105/3/34>.
- STEINHAUSER, D., JUNKER, B. H., LUEDEMANN, A., SELBIG, J., and KOPKA, J., 2004: Hypothesis-driven approach to predict transcriptional units from gene expression data. *Bioinformatics* 20(12), 1928–1939. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/12/1928>.
- STELLING, J. and GILLES, E. D., 2004: Mathematical modeling of complex regulatory networks. *IEEE Trans Nanobioscience* 3(3), 172–9.
- STETTER, M., DECO, G., and DEJORI, M., 2003: Large-Scale Computational Modeling of Genetic Regulatory Networks. *Artif. Intell. Rev.* 20(1-2), 75–93. URL <http://dx.doi.org/10.1023/A:1026088615145>.
- STUART, J. M., SEGAL, E., KOLLER, D., and KIM, S. K., 2003: A gene-coexpression network for global discovery of conserved genetic modules. *Science* 302(5643), 249–55. URL <http://dx.doi.org/10.1126/science.1087447>.
- SUZUKI, J., 1996: Learning Bayesian Belief Networks Based on the Minimum Description Length Principle: An Efficient Algorithm Using the B & B Technique. In: *International Conference on Machine Learning*. URL citeseer.ist.psu.edu/article/suzuki99learning.html.
- VAN SWINDEREN, B. and GREENSPAN, R. J., 2005: Flexibility in a Gene Network Affecting a Simple Behavior in *Drosophila melanogaster*. *Genetics* URL <http://dx.doi.org/10.1534/genetics.104.032631>.
- TAMADA, Y., KIM, S., BANNAI, H., IMOTO, S., TASHIRO, K., KUHARA, S., and MIYANO, S., 2003: Estimating gene networks from gene expression data by combining Bayesian network model with promoter element detection. *Bioinformatics* 19(90002), 227ii–236. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/19/suppl_2/ii227.
- TANAY, A. and SHAMIR, R., 2004: Multilevel Modeling and Inference of Transcription Regulation. *Journal of Computational Biology* 11(2-3), 357–375. URL <http://www.liebertonline.com/doi/abs/10.1089/1066527041410364>.
- TEGNER, J., YEUNG, M. K. S., HASTY, J., and COLLINS, J. J., 2003: Reverse engineering gene networks: integrating genetic perturbations with dynamical modeling. *Proc Natl Acad Sci U S A* 100(10), 5944–9. URL <http://dx.doi.org/10.1073/pnas.0933416100>.
- THATTAI, M. and VAN OUDENAARDEN, A., 2001: Intrinsic noise in gene regulatory networks. *Proc Natl Acad Sci U S A* 98(15), 8614–9. URL <http://dx.doi.org/10.1073/pnas.151588598>.
- THOMAS, R., MEHROTRA, S., PAPOUTSAKIS, E. T., and HATZIMANIKATIS, V., 2004: A model-based optimization framework for the inference on gene regulatory networks from DNA array data. *Bioinformatics* 20(17), 3221–3235. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/17/3221>.

- THORSSON, V., HRNQUIST, M., SIEGEL, A. F., and HOOD, L., 2005: Reverse Engineering Galactose Regulation in Yeast through Model Selection. *Statistical Applications in Genetics and Molecular Biology* 4(1), Article 28. URL <http://www.bepress.com/sagmb/vol4/iss1/art28/>.
- TIAN, J. and PEARL, J., 2000: Probabilities of causation: Bounds and identification. *Annals of Mathematics and Artificial Intelligence* 28(1-4), 287–313. URL <http://citeseer.ist.psu.com/tian00probabilities.html>.
- TIAN, J. and PEARL, J., 2001a: Causal Discovery from Changes. In: J. S. BREESE and D. KOLLER (eds.), *Proceedings of the 17th Conference in Uncertainty in Artificial Intelligence*. Morgan Kaufmann, Seattle, Washington, USA. URL <http://citeseer.ist.psu.com/tian01causal.html>. Part 1 of a two-part paper.
- TIAN, J. and PEARL, J., 2001b: Causal Discovery from Changes: a Bayesian Approach. In: J. S. BREESE and D. KOLLER (eds.), *Proceedings of the 17th Conference in Uncertainty in Artificial Intelligence*. Morgan Kaufmann, Seattle, Washington, USA. URL <http://citeseer.ist.psu.com/450766.html>. Part 2 of a two-part paper.
- TIAN, L., GREENBERG, S. A., KONG, S. W., ALTSCHULER, J., KOHANE, I. S., and PARK, P. J., 2005: Discovering statistically significant pathways in expression profiling studies. *PNAS* , 0506577102 URL <http://www.pnas.org/cgi/content/abstract/0506577102v1>.
- TONG, S. and KOLLER, D., 2001: Active Learning for Structure in Bayesian Networks. In: *Proceedings of the Seventeenth International Joint Conference on Artificial Intelligence (IJCAI)*. Seattle, Washington. URL <http://robotics.stanford.edu/~koller/papers/ijcai01tk.html>.
- TSAI, K.-Y. and WANG, F.-S., 2005: Evolutionary optimization with data collocation for reverse engineering of biological networks. *Bioinformatics* 21(7), 1180–8. URL <http://dx.doi.org/10.1093/bioinformatics/bti099>.
- VERMA, T. S. and PEARL, J., 1990: Equivalence and Synthesis of Causal Models. In: P. B. BONISSONE, M. HENRION, L. N. KANAL, and J. F. LEMMER (eds.), *Proc. Sixth Conf. on Uncertainty in Artificial Intelligence*. North-Holland, Amsterdam, 255–268. URL <http://citeseer.ist.psu.com/context/14269/0>.
- VOIT, E. O. and ALMEIDA, J., 2004: Decoupling dynamical systems for pathway identification from metabolic profiles. *Bioinformatics* 20(11), 1670–1681. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/20/11/1670>.
- VZQUEZ, A., DOBRIN, R., SERGI, D., ECKMANN, J.-P., OLTVAI, Z., and BARABSI, A.-L., 2004: The topological relationship between the large-scale attributes and local interaction patterns of complex networks. *Proc Natl Acad Sci U S A* URL <http://dx.doi.org/10.1073/pnas.0406024101>.
- WAGNER, A., 2001: How to reconstruct a large genetic network from n gene perturbations in fewer than n^2 easy steps. *Bioinformatics* 17(12), 1183–1197. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/17/12/1183>.
- WAGNER, A., 2002: Estimating Coarse Gene Network Structure from Large-Scale Gene Perturbation Data. *Genome Res.* 12(2), 309–315. URL <http://www.genome.org/cgi/content/full/12/2/309>.
- WAGNER, A., 2004: Reconstructing Pathways in Large Genetic Networks from Genetic Perturbations. *Journal of Computational Biology* 11(1), 53–60. URL <http://dx.doi.org/10.1089/106652704773416885>.

- WANG, J., MYKLEBOST, O., and HOVIG, E., 2003: MGraph: graphical models for microarray data analysis. *Bioinformatics* 19(17), 2210–2211. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/19/17/2210>.
- WANG, S.-C., 2004: Reconstructing Genetic Networks from time ordered gene expression data using Bayesian method with global search algorithm. *Journal of Bioinformatics and Computational Biology* 2(3), 441–458. URL <http://dx.doi.org/10.1142/S0219720004000673>.
- WANG, W. and COOPER, G. F., 2004: An Bayesian Method for Biological Pathway Discovery from High-Throughput Experimental Data. In: *Proc. 3rd International IEEE Computer Society Computational Systems Bioinformatics Conference (CSB 2004)*. IEEE Computer Society, Stanford, CA, USA. URL <http://doi.ieeecomputersociety.org/10.1109/CSB.2004.28>.
- WEAVER, D. C., WORKMAN, C. T., and STROMO, G. D., 1999: Modeling regulatory networks with weight matrices. In: *Proc. of Pac. Symp. on Biocomputing 1999*. URL <http://citeseer.ist.psu.com/weaver99modeling.html>.
- WESSELS, L., VAN SOMEREN, E., and REINDERS, M., 2001: A comparison of genetic network models. In: *Proc. of Pac. Symp. on Biocomputing 2001*. URL <http://citeseer.ist.psu.com/wessels01comparison.html>.
- WILLE, A. and BÜHLMANN, P., 2004: Tri-Graph: a novel graphical model with application to genetic regulatory networks. Tech. rep., Seminar for Statistics, ETH Zrich. URL <ftp://ftp.stat.math.ethz.ch/Research-Reports/Other-Manuscripts/buhlmann/trigraph.pdf>.
- WILLE, A., ZIMMERMANN, P., VRANOVÁ, E., FÜRHOLZ, A., LAULE, O., BLEULER, S., HENNIG, L., PRELIC, A., VON ROHR, P., THIELE, L., ZITZLER, E., GRUISSEM, W., and BÜHLMANN, P., 2004: Sparse graphical Gaussian modeling of the isoprenoid gene network in *Arabidopsis thaliana*. *Genome Biol* 5(11), R92. URL <http://dx.doi.org/10.1186/gb-2004-5-11-r92>.
- WILLIAMSON, J., 2005: *Bayesian nets and causality: philosophical and computational foundations*. Oxford: Clarendon Press. URL <http://personal.lse.ac.uk/willia11/jw.htm#bnac>.
- WIMBERLY, F., HEIMAN, T., RAMSEY, J., and GLYMOUR, C., 2003: Experiments on the Accuracy of Algorithms for Inferring the Structure of Genetic Regulatory Networks from Microarray Expression Levels. In: *Proc. IJCAI 2003 Bioinformatics Workshop*. URL <http://www.phil.cmu.edu/projects/genegroup/papers/wimberly2003b.pdf>.
- WOLFE, C. J., KOHANE, I. S., and BUTTE, A. J., 2005: Systematic survey reveals general applicability of "guilt-by-association" within gene coexpression networks. *BMC Bioinformatics* 2005 6, 227. URL <http://www.biomedcentral.com/1471-2105/6/227/abstract/>.
- WONG, S. L., ZHANG, L. V., TONG, A. H. Y., LI, Z., GOLDBERG, D. S., KING, O. D., LESAGE, G., VIDAL, M., ANDREWS, B., BUSSEY, H., BOONE, C., and ROTH, F. P., 2004: Combining biological networks to predict genetic interactions. *PNAS* 101(44), 15682–15687. URL <http://www.pnas.org/cgi/content/abstract/101/44/15682>.
- WOOLF, P. J., PRUDHOMME, W., DAHERON, L., DALEY, G. Q., and LAUFFENBURGER, D. A., 2005: Bayesian analysis of signaling networks governing embryonic stem cell fate decisions. *Bioinformatics* URL <http://dx.doi.org/10.1093/bioinformatics/bti056>.
- WU, F.-X., ZHANG, W. J., and KUSALIK, A. J., 2004: State-space model with time delays for gene regulatory networks. *Journal of Biological Systems* 12(4), 483–500. URL <http://dx.doi.org/10.1142/S0218339004001324>.

- WU, J., KASIF, S., and DELISI, C., 2003: Identification of functional links between genes using phylogenetic profiles. *Bioinformatics* 19(12), 1524–1530. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/19/12/1524>.
- XING, B. and VAN DER LAAN, M. J., 2005: A statistical method for constructing transcriptional regulatory networks using gene expression and sequence data. *J Comput Biol* 12(2), 229–46. URL <http://dx.doi.org/10.1089/cmb.2005.12.229>.
- YAMANISHI, Y., VERT, J.-P., and KANEHISA, M., 2004: Protein network inference from multiple genomic data: a supervised approach. *Bioinformatics* 20(suppl.1), i363–370. URL http://bioinformatics.oupjournals.org/cgi/content/abstract/20/suppl_1/i363.
- YEANG, C.-H., 2002: An Information Geometric Perspective on Active Learning. In: *Proceedings of the 13th European Conference on Machine Learning*. Springer-Verlag.
- YEANG, C.-H., IDEKER, T., and JAAKKOLA, T., 2004: Physical Network Models. *Journal of Computational Biology* 11(2), 243 – 262. URL <http://dx.doi.org/10.1089/1066527041410382>.
- YEANG, C.-H., MAK, H. C., MCCUINE, S., WORKMAN, C., JAAKKOLA, T., and IDEKER, T., 2005: Validation and refinement of gene-regulatory pathways on a network of physical interactions. *Genome Biology* 6(R62). URL <http://genomebiology.com/2005/6/7/R62>.
- YEUNG, M. K. S., TEGNR, J., and COLLINS, J. J., 2002: Reverse engineering gene networks using singular value decomposition and robust regression. *Proc Natl Acad Sci U S A* 99(9), 6163–8. URL <http://dx.doi.org/10.1073/pnas.092576199>.
- YOO, C. and COOPER, G. F., 2004: An Evaluation of a System that Recommends Microarray Experiments to Perform to Discover Gene-Regulation Pathways. *Journal Artificial Intelligence in Medicine* 31(2), 169–182. URL <http://www.phil.cmu.edu/projects/genegroup/papers/yoo2003a.pdf>.
- YOO, C., THORSSON, V., and COOPER, G., 2002: Discovery Of Causal Relationships In A Generegulation Pathway From A Mixture Of Experimental and Observational DNA Microarray Data. In: *Proceedings of Pacific Symposium on Biocomputing 7:498-509*. URL <http://citeseer.ist.psu.com/528477.html>.
- YU, J., SMITH, V. A., WANG, P. P., HARTEMINK, A. J., and JARVIS, E. D., 2004: Advances to Bayesian network inference for generating causal networks from observational biological data. *Bioinformatics* URL <http://dx.doi.org/10.1093/bioinformatics/bth448>.
- YU, T. and LI, K.-C., 2005: Inference of transcriptional regulatory network by two-stage constrained-space factor analysis. *Bioinformatics* 21(21), 4033–4038. URL <http://dx.doi.org/10.1093/bioinformatics/bti656>.
- YUH, C.-H., BOLOURI, H., and DAVIDSON, E. H., 1998: Genomic Cis-Regulatory Logic: Experimental and Computational Analysis of a Sea Urchin Gene. *Science* 279(5358), 1896–1902. URL <http://www.sciencemag.org/cgi/content/abstract/279/5358/1896>.
- ZAK, D. E., DOYLE, F. J., GONYE, G. E., and SCHWABER, J. S., 2001: Simulation studies for the identification of genetic networks from cDNA array and regulatory activity data. In: *Proceedings of the Second International Conference on Systems Biology*. URL http://www.icsb2001.org/Papers/12_Zak_Paper.pdf.
- ZAK, D. E., GONYE, G. E., SCHWABER, J. S., and DOYLE, F. J., 2003: Importance of Input Perturbations and Stochastic Gene Expression in the Reverse Engineering of Genetic Regulatory Networks: Insights From an Identifiability Analysis of an In Silico Network. *Genome Res.* 13(11), 2396–2405. URL <http://www.genome.org/cgi/content/abstract/13/11/2396>.

- ZHANG, B. and HORVATH, S., 2005: A General Framework for Weighted Gene Co-Expression Network Analysis. *Statistical Applications in Genetics and Molecular Biology* 4(1), art17. URL <http://www.bepress.com/sagmb/vol4/iss1/art17>.
- ZHANG, N. L., 2002: Hierarchical latent class models for cluster analysis. In: *Eighteenth national conference on Artificial intelligence*. American Association for Artificial Intelligence. URL www.cs.ust.hk/~lzhang/paper/pspdf/aaai02.pdf.
- ZHANG, N. L., 2003: Structural EM for Hierarchical Latent Class Models. Tech. rep., HKUST-CS03-06. URL <http://hdl.handle.net/1783.1/782>.
- ZHANG, N. L., KOČKA, T., KARCIAUSKAS, G., and JENSEN, F. V., 2003: Learning hierarchical latent class models. Tech. rep., HKUST-CS03-01. URL <http://hdl.handle.net/1783.1/783>.
- ZHANG, N. L. and POOLE, D., 1996: Exploiting Causal Independence in Bayesian Network Inference. *Journal of Artificial Intelligence Research* 5, 301–328. URL <http://www.cs.cmu.edu/afs/cs/project/jair/pub/volume5/zhang96a.pdf>.
- ZHOU, X., WANG, X., PAL, R., IVANOV, I., BITTNER, M., and DOUGHERTY, E. R., 2004: A Bayesian connectivity-based approach to constructing probabilistic gene regulatory networks. *Bioinformatics* 20(17), 2918–27. URL <http://dx.doi.org/10.1093/bioinformatics/bth318>.
- ZOU, M. and CONZEN, S. D., 2005: A new dynamic Bayesian network (DBN) approach for identifying gene regulatory networks from time course microarray data. *Bioinformatics* 21(1), 71–79. URL <http://bioinformatics.oupjournals.org/cgi/content/abstract/21/1/71>.
- ZUPAN, B., DEMSAR, J., BRATKO, I., JUVAN, P., HALTER, J. A., KUSPA, A., and SHAULSKY, G., 2003: GenePath: a system for automated construction of genetic networks from mutant data. *Bioinformatics* 19(3), 383–9. URL <http://bioinformatics.oxfordjournals.org/cgi/reprint/19/3/383>.